

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number  
**WO 2004/026888 A2**

(51) International Patent Classification<sup>7</sup>: **C07H**  
(21) International Application Number: **PCT/US2003/029577**  
(22) International Filing Date:  
19 September 2003 (19.09.2003)  
(25) Filing Language: English  
(26) Publication Language: English  
(30) Priority Data:  
60/412,479 19 September 2002 (19.09.2002) US

(72) Inventors; and  
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neelofter** [IN/CA]; Apt 408, 2233 Allison Road., Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).


(74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).

(81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.



MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished upon receipt of that report

- (84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

### Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory  
5 CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune  
system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001)  
*Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for  
biological activity and it is reported that optimal CpG DNA sequences can vary among  
species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.  
10 Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN.  
Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9  
recognizes CpG DNA is not understood.

### Summary of the Invention

15 Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal  
in response to CpG DNA. To date, the amino acid sequences only of human and murine  
TLR9 have been reported, and, interestingly, these two species are known to prefer different  
CpG motifs. The structural basis for this species-specific CpG motif preference has not yet  
been fully elucidated. The instant invention provides, in part, novel amino acid and  
20 nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are  
useful for elucidating certain key structural features of TLR9. Specifically, comparison of  
sequences of murine, human, and these novel TLR9 sequences permits identification of areas  
of highly conserved sequence, areas of group conservation, and areas of hypervariability. In  
addition, such comparisons permit an assessment of evolutionary relatedness among TLR9  
25 molecules of the various species, as well as an assessment of inter-species homologies.  
Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9  
that may be involved in the CpG binding site, as well as amino acids involved in conferring  
species specificity for particular CpG motifs. Such information may be used to design and  
construct novel TLR9 molecules which incorporate specific point or regional mutations and  
30 which possess desired ligand binding characteristics. Such information may also be useful in  
designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an  
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,  
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID  
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid  
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the  
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided  
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to  
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments  
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the  
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the  
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)  
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment  
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide  
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCgTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in  
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),  
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and  
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes  
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one  
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B. In one  
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or  
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test  
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction  
 pathway is measured quantitatively and the response mediated by the TLR9 signal  
 transduction pathway associated with each of the plurality of test compounds is compared  
 with a response arising as a result of an interaction between the functional TLR9 and a  
 reference immunostimulatory compound.

15

### Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid  
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig  
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid  
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9  
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and  
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six  
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and  
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,  
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected  
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

### Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9  
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key  
 features of the primary sequences of these and related TLR molecules, including previously



- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

## SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQA AVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLD FVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
5 SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLI VKLGAEDLANLTSRMLDVGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSSLHSLN  
SKWFQGLANLSVLDLSENFLYESINKTSFQNLTLRLKLDLSFNCKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGL PKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGV PW  
PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
10 VLDLSYNKLDLYHKSFSFELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLD FSGNGVGRMWDEEDLYLYFFQDLRS LIHL DLSQNKHLI LRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNILKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL  
AVAVGTVLP LLQHL CGWDVWYCFHLC LAWLPLLTRGRSAQALPYDAFVVF DKAQSAVADWVYNELRVRLERRG  
15 RRALRLCLEDRDWLPQGTLENLWASIYGRKTLFVLAHTDKVSGLLRTSFLLAQQRLEDRKD VVVLVILRPDA  
HRSRYVRLRQLRCLRQSVLFWPHQPNGQGSFWAQLSTALTRDNHHFYNRNFCRGPTAE

## SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQA AVLAEALALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI  
HHLHNLD FVHLPNVRQLNLKWNCPPLGLSPLHFSRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL  
20 SHTNILLVDASSLAGLHSLRVLFMDGNCYYKNPCGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVPRQLPPSLEYL  
LLSYNLI VKLGAEDLANLTSRMLDVGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSSLHSLN  
SKWFQGLANLSVLDLSENFLYESINKTSFQNLTLRLKLDLSFNCKKVSFARLHLASSFKSLVSLQELNMNGIF  
FRLLNKNTLRWLAGL PKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGV PW  
25 PASLTPALPSTPVSKNFMVRCKNLRFTMDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK  
VLDLSYNKLDLYHKSFSFELPQLQALDLSYNSQPFMSQGIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS  
VEYLD FSGNGVGRMWDEEDLYLYFFQDLRS LIHL DLSQNKHLI LRPQNLNYLPKSLTKLSFRDNHLSFFNWSSLA  
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPAPFALAVELKEVNLSHNILKTVDRSWFGPIV  
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG  
30

## SEQ ID NO:3 (Rat TLR9)

atgggtctctctgtcgcaggaccctgcaccccttgctctctcctggtagcaggccgcagtgctggctgaggctctggcc  
ctgggtacccctgcctgccttcctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttcctg  
aagtctgtgcctcacttctctgcgcgagaaccccggtccaacatcaccagcctttccttgatcgccaaccgcac  
35 caccacctgcacaacctgcactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcaacttctcctgcgcagatgaccattgagcccaaaccttcttggtatgcgcatgctg  
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctgggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcattggac  
40 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagcgccttctgggcttgagcaac  
ctcaccacttgctcccttaagtataacaacctcacagaggtgccccgcaactgccccagcctggagtagctc  
ctgctgtcctataacctcatcgtaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat  
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtcccttgatctg  
caccctcagactttccatcacctgagccaccttgaggcctggctgctgaaggacagttctctccactcgctgaac  
45 tccaagtgggtccaggtctggcgaaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgcctttcagaacctgacctgtgctgcaagctcgacctgtccttcaattactgcaagaaggtatcg  
ttcgccgcctccacctggcaagttccttcaagagcctgggtgctgctgagagctgaacatgaacggcatcttc  
ttccgcttactcaacaagaacacgctcaggtggctggctggctgctgcccagctccacacgctgcaccttcaaatg  
aatttcacatcaaccaggcgagctcagcgtcttagtaccttccgagcccttcgctttgtggacctgtccaataat  
50 cgcacagcgggcccctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaaggggttccatgg  
cctgcaagtctcaccacgctctcccagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga  
ttcaccatggagctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag  
tgtctgagcctgagccacaactgcacgcgagcgtgtcaatggctctcagttcctgcccgtgacccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctccacaggtgcagggc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccagggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacggtgtggggccgcatgtgggacgaggaggacctttacctctatttcttc  
5 caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctgggcc  
10 ttcttgcccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtccagccttctttgtctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctggtttggggccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg  
15 ctggaagtgcagaccaaggtgcctggcctggctaacggtgtgaagtgtggcagtcctccgccagctgcaggccgc  
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttactcctg  
gctgtggccgtgggcacggtgttgctttactgcagcatctctgcggctgggacgtctggtactgtttccatctg  
tgctggcatggctacctttgtgacctggcggcgagcgcccaagctctcccttatgatgcctctgtggtg  
ttcgataaggcgagcgcggttgctgactgggtgtataacgagcttcgagtgcggttagaggagcgcgcggt  
20 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctggggcc  
tccatctatggcagcgcaagactctgtttgtgctggcccacaggacaaggtcagtgccctcctgcgcaccagc  
ttcctgctggctcagcagcgctgctggaggaccgcaaggacgtggtggtgttggtgatcctgcgcctgatgcc  
cacgctcccgtacgtgcgactgcgcagcgctctgcgcagagtgctctctggccccatcagcccaac  
gggcagggcagcttctggggccagctgagtacagccctgactagggacaaccaccactctctataaccggaacttc  
25 tgccggggacctacagcagaatag

## SEQ ID NO:4 (Rat TLR9)

atggttctctgtcgcaggaccctgcacccttgtctctcctgggtacaggccgcagtgctgggtgaggctctggcc  
ctgggtaccctgctgccttccctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg  
25 aagtctgtgcctcacttctctgcgcgagaacccggttccaaacatcaccagccttctcttgatcgccaacgcgcatc  
caccacctgcacaacctcgactttgtccacctgccccacgtgcgacagctgaacctcaagtggaaactgtccgccc  
cctggcctcagcccttgcacttctcctgcgcgcatgaccattgagcccaaaccttctctggctatgcgcatgctg  
gaagagctgaacctgagctataacggtatcaccactgtgccccgcctgcccagctccctgacgaatctgagccta  
agccacaccaacatcctggtagctgacgagcctcgtggcctgcacagcctgcgagttctcttcatggac  
30 gggaaactgtactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac  
ctcaccacttgccttaagtataacaacctcacagaggtgccccgccaactgccccccagcctggagtagctc  
ctgctgtcctataacctcatcgtcaagctggggcggaagcctagccaacctgacctcccttgaatgcttgat  
gtgggtgggaattgcgctgctgtgatcacgccccgacctctgtacagaatgccggcgagaagtccttctgatctg  
caccctcagactttccatcacctgagccaccttgaaggcctgggtgctgaaggacagttctctccactcgctgaac  
35 tccaagtgggtccagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac  
aaaaccagcgcttccagaacctgacctgctgcgcaagctcgacctgtccttcaattactgcaagaagggtatcg  
ttcgccgcctccacctggcaagttccttcaagagcctgggtgctgctgcaggagctgaacatgaacggcatcttc  
ttcgccttactcaacaagaacagctcaggtggctggctgggtctgcccagctccacacgctgcaccttcaaatg  
aatttcataaccaggcgagctcagcgtctttagtagcttccgagcccttgcctttgtggacctgtccaataat  
40 cgcacagcgggcctccaacgctgtccagagctgcgcccgaaaaggcagacgaggcggaagggttccatgg  
cctgcaagtctcaccacagctctcccgagcactccgctctcaagaacttcatgggtcaggtgtaagaacctcaga  
ttcaccatggacctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctcccactctccag  
tgtctgagcctgagccacaactgcacgagcgtgtcaatggctctcagttcctgcccgtgaccaacctgaag  
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggtcagtgagctcccacagtttcaggcc  
45 ctggacctgagctacaacagccagccattcagcatgcaggggatagggccacaacttcagttttctggccaatctg  
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca  
gtggagtatctggacttcagcggcaacgggtgtggggcgcatgtgggacgaggaggacctttacctctatttcttc  
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac  
tacctccccaaagacgtgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctgggcc  
50 ttcttgcccaatctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta  
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtccagccttctttgtctggcg  
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggttggggccattgtg  
atgaacctgacggttctagacgtgagcagcaacctctgcattgtgcctgcgggtgcaccctttgtagacttactg  
ctggaagtgcagaccaaggtgcctggcctaacgggtgtgaagtgtggcagtcctccgagctgcagggccgc  
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc

- 11 -

## SEQ ID NO:5 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELPQHGLVNCNWLFLKSVPHFSAAAPRANVTSLSLLSNRIH  
HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSL  
RTNILLVLDPTHLTGLHALRYLYMDGNCYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLETEVPRSLPPSLETLL  
5 LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSRLNLSFNHYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFFGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
10 DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHLLTLPALDNLPKSLKHLHLRDNNAFFNWSLTL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVL DVSANPLHCACGATFVGFLLEVQAAVPGPLSRVKCGSPGQLQGH SIFAQDLRLCLDETLSWNCFGISLLAM  
ALGLVVPMLHHL CGWDLWYCFHLCLAWLPHRGQRRGADALFYDAFVVDKAQSAVADWVYNELRVQLEERRGRR  
15 LRLCLEERDWPGLKTLFENLWASVYSSRKTFLVLAHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPDAYRS  
RYVRLRQRLCRQSVLLWPHQPRGQGSFWAQLGTALTRDNHNFYNNRNFRCGPPTAE

## SEQ ID NO:6 (Porcine TLR9)

MGPRCTLHPLSLLVQVTALAAALAQGRLPAPFLPCELPQHGLVNCNWLFLKSVPHFSAAAPRANVTSLSLLSNRIH  
HLHDSDFVHLSSLRTLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNSITTVPALPDSLVSLSL  
20 RTNILLVLDPTHLTGLHALRYLYMDGNCYKNPCQGALEVVPGALLGLGNLTHLSLKYNLLETEVPRSLPPSLETLL  
LSYNHIVTLTPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKDHPLHSDTFSHLSRLEGLVLKDSLSYNLDT  
RWFRGLDRLQVLDLSENFLYDCITKTTFQGLARLSRLNLSFNHYHKKVSFAHLHLAPSFHGLRSLKELDMHGIF  
RSLSETTLQPLVQLPMLQTLRLQMNFINQAQLSIFGAFFGLLYVDLSDNRISGAARPVAITREVDGRERVWLPSR  
25 NLAPRPLDTRLSEDFMPNCKAFSFTLDLSRNNLVITIQSEMFARLSRLECLRLSHNSISQAVNGSQFVPLTSLRVL  
DLSHNKL DLYHGRSFTELPRLEALDLSYNSQPFMTQGVGHNL SFVAQLPALRYLSLAHNDIHSRVSQQLCSASLC  
ALDFSGNDLSRMWAEGDLYLRFFQGLRSLVWLDLSQNLHLLTLPALDNLPKSLKHLHLRDNNAFFNWSLTL  
PKLETLDLAGNQLKALSNGSLPSGTQLRRLDLSGNSIGFVNPGFFALAKQLEELNLSANALKTVEPSWFGSMVGN  
LKVL DVSANPLHCACGATFVGFLLEVQAAVPGPLSRVKCGSPGQLQGH SIFAQDLRLCLDETLSWNCFG

## 30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcaactgtagctgctgcccggctctgccagccagacccttggagaagacccccactccctgt  
catgggcccccgctgcaccctgcaccccccttctctcctgggtgcaggtgacagcgctggctgctggccca  
gggcaggtgctgctgccttctgcccctgtgagctccagccccacggcctggtagaactggctcttctgaa  
gtccgtgccccacttctcgccggcagcgccccgggccaactgcaccagcctctccttactctccaaccgcatcca  
35 ccacctgcacgactccgacttctgcccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc  
tggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacaccttctgcccgtgcccaccctgga  
ggagctgaacctgagctacaacagcatcacgacgctgctgcccctgcccgaactcctcgtgctcctgtcgctgag  
ccgcaccaacatcctggtgctagacccccacccactcactggcctacatgccttgcgtacactgtacatggatgg  
caactgtactacaagaacccctgccagggggcgctggagggtggtgcccgggtgcccctcctcgccctgggcaacct  
40 cacacatctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagaccctgct  
gtgtgcttacaaccaatgtgtaccctgacgcctgaggacgctggccaatctgactgcccctgcccgtgcttgatgt  
gggggggaactgcccgcgctgtgaccatgcccgaacccctgcagggagtgcccaaaggaccaccccaagctgca  
ctctgacaccttcaagccacctgagccgctcgaaggcctgggtgtgaaagacagttctctctacaacctggacac  
caggtgggtccgaggcctggacaggtccaagtgtggacctgagtgagaacttctctacgactgcatcaccaa  
45 gaccacggccttccagggcctggcccgaactgcccagcctcaacctgtccttcaattaccacaagaaggtgtcctt  
tgccacctgcacctggcaccctccttgggcacctccggctccctgaaggagctggacatgcatggcatctctt  
ccgctcgctcagtgagaccacgctccaaccttgggtccaactgcctatgctccagacctgcccctgcagatgaa  
cttcataaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaacg  
catcagcggagctgcaaggccagtgccattactaggagggtggatggtagggagagggtctggctgccttccag  
50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttcac  
cttgacactgtctcggaacaacctggtagaatccagtcggagatgtttgctcgctctcacgcctcgagtgcct  
gcgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgccgctgaccagcctgcgggtgct  
ggacctgtcccaacaagctggacctgtatcacggcgctcgttcacggagctgcccgcgctggaagcactgga  
cctcagctacaatagccagccctttaccatgcagggtgtgggccacaacctcagcttcgtggccagctgcccgc

- 12 -

cctgcgctacctcagcctggcgacacaatgacatccatagccgagtggtcccagcagctctgtagcgcctcactgtg  
 cgccctggacttttagcggaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg  
 cctaagaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccagctgccctggacaacct  
 ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct  
 5 gcccagctggaaaccctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac  
 ccagctgcgaggctggacctcagtggaacagcatcggtttgtgaaccctggcttcttggcctggccaagca  
 gttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctggtttggctcgatggtgggcaa  
 cctgaaagtcctagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggcttctcgtgga  
 ggtacaggctgccgtgcctgggctgcccagccgctcaagtgtggcagtcggggcgagctccagggccatagcat  
 10 ctttgcgcaagacctgcgcctctgcctggatgagaccctctcgtggaactgttttggcatctcgctgctggccat  
 ggccctgggctggttgtgcccctgctgcaccacctctgcggtgggacctctggtactgcttccacctgtgcct  
 ggccctgggctggccaccgagggcagcgggggcgagacgacctgttctatgatgccttcgtggctcttgacaa  
 agctcagagtgtgtgtggcgactgggtgtacaacgagctgcgggtgcagctggaggagcgcggtggcgccgagc  
 actgcgctgtgcctggaggagcgagactgggtacctggcaagacgctcttcgagaacctgtgggacctcagtcta  
 15 cagcagccgcaagacctgtttgtgctggcccacacggacctgtcagcgccctcttgcgtgccagtttctcgt  
 ggcccagcagcgctgtgaggagccgaaggacgtttagtgctggtgatcctgcgccccgatgcctaccgctc  
 ccgctacgtgcggtgcgcccagcgctctgcgcccagagtgtcctcctctggccccaccagccccgtggcgagg  
 cagcttctggggccagctgggcacagccctgaccagggacaaccaccacttctataaccggaacttctgcccggg  
 cccacgacagccgaatagcactgagtgcagcccagtgccccagccccctggatttgccctctctgctgggg  
 20 tgccccaaactgctttgctcagccacaccactgctctgctcctgttccccacccccccccagcctggcatgt  
 aacatgtgccaataaaatgctaccggaggggccaagaaaaa

## SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcaccccttctctcctgggtgcaggtgacagcgctggctgcggtctgtggccag  
 25 ggcaggctgcctgccttctgcctgtgagctccagcccccagccctgggtgaactgcaactggctcttctgaag  
 tccgtgccccacttctcgggcgagcgcggccggaacgtcaccagcctctccttactctccaaccgcatccac  
 cacctgcacgactccgacttctgctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggct  
 ggctcagcccatgcacttccccctgccacatgacctcgagcccaacaccttccctggcctgcccacctggag  
 30 gagctgaacctgagctacaacagcatcacgacctgacctgccctgcccagctccctcgtgtccctgtcgctgagc  
 cgcaccaacatcctgggtgctagacccacccacctcactggcctacatgccctgcgctacctgtacatggatggc  
 aactgctactacaagaacccctgccagggggcgctggaggtgggtgcgggtgccctcctcgccctgggcaacct  
 acacatctctcactcaagtacaacaatctcacggagggtgccccgcagcctgccccagcctggagacctgctg  
 ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgccctgcgctgcttgatgtg  
 35 ggggggaactgcccgcgctgtgacctgcccgaacccctgcagggagtgccaaaggaccaccccaagctgcac  
 tctgacaccttcagccacctgagccgctcgaaggctgggtgtgaaagacagttctctctacaacctggacacc  
 aggtggttccgaggcctggacaggtcccaagtgtggacctgagtgagaacttctctacgactgcacaccaag  
 accacggccttccagggcctggccgactgcccagcctcaacctgtccttcaattaccacaagaagggtgctctt  
 40 gcccacttgcaactggcaccctccttgggacacctccggtccctgaaggagctggacatgcatggcatcttctt  
 cgctcgtcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcccctgcagatgaac  
 ttcattaaccaggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggaacaccgc  
 atcagcgagctgcaaggccagtgccattactaggagggtggatggtagggagaggggtctggctgccttccagg  
 aacctcgtccacgtccactggacactctccgctcagaggacttcatgccaactgcaaggccttcagcttccac  
 45 ttggacctgtctcggaacaacctgggtgacaatccagtccggagatgttgcctcgcctctcagcctcgagtgcctg  
 cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgcctgcctgaccagcctgcccgtgctg  
 gacctgtcccacaacagctggacctgtatcacgggcgctcggttcacggagctgcccgcctgggaagcactggac  
 ctgagctacaatagccagccttaccatgcagggtgtggggccacaacctcagcttcgtggccagctgcccgc  
 50 ctgagctacctcagcctggcgacacaatgacatccatagccgagtgctccagcagctctgtagcgctcactgtgc  
 gccctggacttttagcggaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaaggc  
 ctaagaaagcctagtctggctggacctgtcccagaaccacctgcacaccctcctgccagctgccctggacaacctc  
 cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg  
 55 ccaagctggaaaccctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc  
 cagctgcccagggtggacctcagtggaacagcatcggtttgtgaaccctggcttcttggcctggccaagcag  
 ttagaagagctcaacctcagcgccaatgacctcaagacagctggagccctcctgggttggctcgatggtgggcaac  
 ctgaaagtcctagacgtgagcgccaacctctgcactgtgctggtggggcgaccttcgtggcttctgctggag  
 gtacaggctgccgtgcctgggctgcccagccgctcaagtgtggcagtcggggcgagctccagggccatagcatc  
 tttgcgaagacctgcgctctgcctggatgagacctctcgtggaactgtttggc

- 13 -

## SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSLSLS  
 5 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK  
 DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 10 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
 KILDV SANPLHCACGA AFVD FLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCLCFGSLLMVA  
 LGLAVPMLHHL CGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFQSAVADWVYNELRVQLEERRRRAL  
 15 RLCLEERDWLPKGTLPENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR  
 YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNHRHFYNRNFCRGPTTAE

## SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPFAFLPCELQPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH  
 HLHDSDFVHLSNLRVNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLSLSLS  
 20 HTSILVLGPTHFTGLHALRFLYMDGNCYYMNPCPRALEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
 LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDTFSLSLRLEGLVLKDSLSLYKLEK  
 DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKLDMHGIF  
 RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVDLSDNRISGAATPAAALGEVDSRVEVWRLPR  
 25 GLAPGPLDAVSSKDFMPSCNLFNTLDLSRNNLVTIQQEMFTRLRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD  
 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA  
 LDFSGNSLSQMWAEGLDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSLTVP  
 RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFVRATRLIELNLSANALKTVDPSPWFGSLAGTL  
 KILDV SANPLHCACGA AFVD FLLERQEA VPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCLCFG

30

## SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgcac  
 tccctgtcatgggcccctactgtgccccgcacccccttctctcctggtgcaggcgccgactggcagcgcccc  
 tggccgagggcaccctgcctgccttccctgcccctgtgagctccagcccatggcaggtggactgcaactggctgt  
 35 tccctgaagtctgtgcccgcacttttcggctggagccccccgggccaatgtcaccagcctctccttaatctccaacc  
 gcatccaccacttgcatgactctgacttcgtccacctgtccaacctgcccgtctcaacctcaagtggaaactgcc  
 cgccggcgccgctcagccccatgcacttccccctgcgctatgaccatcgagcccaacaccttccctggctgtgccca  
 ccctggaggagctgaacctgagctacaacggcatcagacccgtgcctgcccctgcccagttccctcgctgctccctgt  
 cgctgagccacaccagcatcctggtgctaggccccaccacttcaacggcctgcacgcccctgcgcttctctgtaca  
 40 tggacggcaactgctactacatgaaccttgcctgcccggggccctggaggtggccccaggcgccctcctcgccctgg  
 gcaacctcacgcacctgtcgctcaagtacaacaacctcacggaggtgccccgcccgtgccccccagcctggaca  
 ccctgctgctgtcctacaaccacattgtcacctggcaccggaggacctggccaacctgactgcccctgcgctgct  
 ttgacgtgggtgggaactgcccgcgctgcgacctgcccgaaccttgcagggagtgcccaagaacttcccca  
 agctgcaccttgacaccttcagtcacctgagccgcctcgaaggcctggtgttgaaggacagttctctctacaac  
 45 tagagaagattgggtcccgccgctggcgaggtcccaagtgcctgacatgagtgagaacttccctctatgactaca  
 tcaccaagaccacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagg  
 tgtccttcgccccacctgcacctagcgtcctccttgggagctctggtgtccctggagaagctggacatgcacggca  
 tcttcttccgctccctcaccacatcacgctccagtcgctgaccgggctgcccgaagctccagagctctgcatctgc  
 agctgaacttcatcaaccaggcccagctcagcatcttggggccttcccagcctgctcctcgctggacctgtcgg  
 50 acaaccgcatcagcggagccgcgacgccagcggcgccctgggggaggtggacagcaggggtggaagtctggcgat  
 tgcccaggggcccctcgctccaggcccgcctggacggcgtcagctcaaaggacttcatgccaaagctgcaacctcaact  
 tcaccttgacctgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcccctctcccgcctccagt  
 gcctgcgctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgcccgtgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgccgcagctggaggcac  
tggaacctcagctacaacagccagcccttcagcatgcagggcgctgggccacaacctcagcttcgtggccagctgc  
cctccctgcgctacctcagccttgccgcacaatggcatccacagcccgctgtcacagaagctcagcagcgccctcgt  
5 tgccgcgccttggaacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgctttttca  
aaggcttgaggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggaca  
acctgccccaaagacctgggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg  
tcttgcgcccggtggaagcctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgcctg  
gcatccggctccagaagctggacgtgagcagcaacagcatcggttcgtgatccccggcttcttcgtccgcgcga  
10 ctccgctgatagagcttaacctcagcgcgaatgccctgaagacagtggatccctcctgggttcggttccttagcag  
ggacctgaaaatcctagacgtgagcgcgaacccgctccactgcgcctgcggggcggtcttctgtggacttctgc  
tggagagacaggaggccgtgcccggtgtccaggcgctcacatgtggcagtcggggccagctccaggggcgca  
gcatcttcacacaggacctgcgcctctgcctggatgagacctctccttggactgcttggcctctcactgctaa  
tggtygcgtgggcctggcagtgcccatgctgcaccacctctgtggctgggacctctggtactgcttccacctgt  
gtctggcccatttgccccgacggcgggcgagcggggcgaggacacctgctctatgatgccgtcgtggtcttcg  
15 acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgcgtgcagctggaggagcgccggggcgcc  
ggcgctccgcctctgcctggaggagcgagactgggtccctggtaagacgctcttcgagaacctgtgggcctcgg  
tctacagcagccgcaagaccatgttcgtgctggaccacacggaccgggtcagcggcctcctgcgcgccagctcc  
tgctggccagcagcgctgttgaggaccgaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc  
ggtcccgtacgtgcggctgcgccagcgctctgcgccagagcgtcctccttggccccaccagcccagtgggc  
20 aggtagtcttctgggccaacctgggcatagccctgaccagggacaacctcacttctataaccggaacttctgcc  
ggggccccacgacagccgaatagcacagagtgaactgccag

## SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctgggtgcaggcgggcgactggcagcggccctggccgag  
25 ggcaacctgcctgccttctgcctgtgagctccagccccatggtcagggtggactgcaactggctgttctgaag  
tctgtgcccacttctcggtggagcccccgggccaatgtcaccagcctctccttaacttccaaccgcatccac  
cacttgcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc  
ggcctcagccccatgcacttccccctgcccgtatgaccatcgagcccaacaccttccctggctgtgccacacctggag  
30 gagctgaacctgagctacaacggcatcacgacgtgcctgcctgcacagtccctcgtgtccctgtcgttgagc  
cacaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgccttgccgttctgtacatggacggc  
aactgtctactacatgaaccttgccccggcgcccttggaagtggtggccccaggcgccctcctcgccctgggcaacctc  
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg  
ctgtcctacaaccacattgtcaccttgccacccgaggacctggccaacctgactgcctgcgcgtgcttgacgtg  
35 ggtgggaactgccgcgctgcgacctatgccgcaacctcctgcaggagtgcccaagaacttccccaaactgcac  
cctgacaccttcagtcacctgagccgcctcgaaggcctgggtgtgaaggacagtctctctacaaactagagaaa  
gattggttcgcggcctgggcaggctccaagtgtcgcacctgagtgagaacttccctctatgactacatccaag  
accacctcttcaacgacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
gcccacctgacatagcgtcctccttgggagcttggtgtccctggagaagctggacatgcacggcatcttcttc  
cgctccctcaccaacatcacgctccagtcgctgaccggctgccccaaagctccagagtctgcacatcgcagctgaac  
40 ttcatcaaccaggcccagctcagcatcttggggccttcccgagcctgctcttcgtggacctgtcggacaaccgc  
atcagcggagccgcgacgccagcgccgcccctgggggaggtggacagcagggtggaagtctggcgattgccaggg  
ggcctcgtccagggccgctggacgcccctcagctcaaaggacttcagtccaagctgcaacctcaacttcaccttg  
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgctgcgc  
ctgagccacaacagcatctcgcaggcggttaatggctcccagttcgtgcccgtgaccagcctgagtgctcgac  
45 ctgtcccacaacaagctggacctgtaccatgggcgctcattcacggagctgcgcagctggaggcactggacctc  
agctacaacagccagcccttcagcatgcagggcggtggggccacaacctcagcttcgtggcccagctgcccctcctg  
cgctacctcagccttgccgcacaatggcatccacagccgcgtgtcacagaagctcagcagcgctcgttgccgcgc  
ctggacttcagcggcaactccctgagccagatgtgggcccagggagacctctatctctgctttttcaaggcttg  
aggaacctgggtccagctggacctgtccgagaacctctgcacacctcctgcctcgtcacctggacaacctgccc  
50 aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc  
cggtggaagccttggtatctggcaggaaaccagctgaaggccctgagcaacggcagcctgccgcctggcatccgg  
ctccagaagctggacgtgagcagcaacagcatcggttcgtgatcccggcttcttcgtccgcgcgactcggtg  
atagacttaacctcagcgccaatgccctgaagacagtggatccctcctgggttcggttctctagcagggaacctg  
aaaacctagacgtgagcgccaacccgctccactgcgcctgccccggcgcccttctgtggactcctgctgcgagaga  
55 caggaggccgtgcccggtgtccaggcgctcacatgtggcagtcggggccagctccagggccgcagcatcttc  
acacaggacctgcgcctctgcctggatgagacctctccttggactgctttggc



- 15 -

## SEQ ID NO:13 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELPQHLVNCNWLFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFALQSLNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
5 SRTNQLQDPTSLTGLHALRFLYMDGNCYKYNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITTKTAKFQGLAQRLRLNLSFNHYHKKVSFAHLTLAPSPFGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS  
10 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAADFVDFLLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLV  
15 VALGLAMPMLHHLGWDWYCFHLGLAWLPRRGWQRGADALSADAFVVFDAQSAVADWVYNELRVRLREERRRR  
ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLAQQLLEDKRDVVLVILSPDARR  
SRYVRLRQRLCRQSVLFWPHQPSGQRSFQAQLGMALTRDNRHFYNQNFRCGPTMAE

## SEQ ID NO:14 (Equine TLR9)

MGPCHGALQPLSLLVQAAMLAVALAQGTLPPFLPCELPQHLVNCNWLFLKSVPHFSAAAPRDNVTSLSLLSNRI  
HHLHDSDFALQSLNLQKLNKWNCPAGLSPMHFPCMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL  
20 SRTNQLQDPTSLTGLHALRFLYMDGNCYKYNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRSLPPSLEYL  
LLSYNHIVTLAPEDLANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN  
PRWFRGLGNLTVDLSENFLYDCITTKTAKFQGLAQRLRLNLSFNHYHKKVSFAHLTLAPSPFGSLLSLQELDMHGIF  
FRSLSQKTLQPLARLPMLQRLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGKKVWLTS  
25 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLQCLRLSHNSISQAVNGSQFVPLTSLQV  
LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSFVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL  
WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRHLTLPLCTLGNLPKSLQLLRLRNNYLAFFNWSSLT  
LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG  
SLEVLDVSANPLHCACGAADFVDFLLQVQAAPVGLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG  
30

## SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgctgaagggactgcgagcacaaagcatcctcctctgagctgctgccagtg  
tgccagctggaccctctggatcatctccactccctgtcatggcccttgccatggtgccctgcagccctgtct  
ctcctggtgcaggcgcccatgctggccgtggtctctggcccaaggcaccctgcctcccttccctgacctgtgagctc  
35 cagccccacggcctggtgaactgcaactggctgttctcgaagtccgtgccccacttctcagcagcagcaccgcg  
gacaatgtcaccagcctttcttctgctctccaaccgcatccaccactccacgactccgactttgccaaactgtcc  
aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagccccatgcacttccctgcccacatg  
accatcgagcccaactttcttctggtgtaccaccctggaggagctgaacctgagctacaacggcatcacgact  
gtgcctgacctgcccagctccctggtgctccctgatctgagcgcaccaacatcctgcagctagacccaccagc  
40 ctacagggcctgcatgacctgcttctctatacatggatggcaactgctactacaagaacctctgcccggggcc  
ctggaggtggccccaggcgccctccttggcctgggcaacctcaccacctgtcactcaagtacaacaacctcaca  
acggtgccccgcagcctgccccctagcctggagctacgtggtgtctctacaaccacattgtcaccctggcacct  
gaggacctggccaatctgactgacctgctgctgctgagtggtggaactgcccgcgctgtgacctgacgc  
aaccctgctggtgagtgccacataaattccccagctgcactccgacacctcagccacctaaagccgcttagaa  
45 ggcctcgtgtgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt  
ctcgactagtgagaacttctctacgactgcatcaccaaaacaaagcattccaggcctggccagctgcga  
agactcaactgtctccttcaattaccataagaaggtgtccttcgcccacctgacgctggcaccctccttcgggagc  
ctgctctccttgcaggaactggacatgcatggcatcttcttcgctcactcagccagaagacgctccagccactg  
gcccgcctgcccagctccagcgtctgtatctgcagatgaacttcatcaaccaggcccagctcggtcatctcaag  
50 gacttccctggtctgcgctacatagacctgtcagacaaccgcatcagtgagctgtggagccggtggccaccaca  
ggggaggtggtggtgggaagaaggtctggctgacatccaggacacctcactccaggccactggacacccccagc  
tctgaggacttcatgccaaagctgcaagaacctcagcttcccttgacctgtcaggaacaacctggtaacagtc  
cagccagagatgtttgcccagctctcgcgcctccagtgctgacctgagccacaacagcatctcgcaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtcccataacaaactggacctgtaccat  
gggcgctcgtttacggagctgccgcgactggaggccttggaacctcagctacaacagccagcccttcagcatgagg  
gggtgtgggccacaacctcagctttgtggccagctgccaccctgcgctacctcagcctggcacacaatggcatc  
cacagccgtgtgtcccagcagctctgcagcacctcgctgtgggcccctggacttcagcggcaattccctgagccag  
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaattccggctagacctgtccag  
aatcgtctgcataccctcctgccatgcaccctgggcaacctccccagagcttgagctgctgcgtctccgtaac  
aattacctggcccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac  
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacgtcagcaggaacagc  
atcatcttcgtggtccctggcttctttgctctggccacgaggctgcgagagctcaacctcagtgccaacgcctc  
10 aggcagagggagccctcctggtttggtttcctagcaggctcccttgaagtccctagatgtgagcgccaacctctg  
cactgcgcctgtggggcagcctttgtggacttccctgtgcaggttcaggctgccgtgcctggtctgccagccgc  
gtcaagtgtggcagtcggggccagctccagggccgcagcatcttcgcacaagacctgcgcctctgctggacaag  
tccctctcctgggactgtttggtctctcattgctggttgtggccctgggctggccatgcctatgttgaccac  
ctctgcggctgggacctctggtactgcttccacctgggctggcctggctgcccggcggggtggcagcggggc  
15 gcggtgcccctgagctatgatgcctttgtggtcttcgacaaggcacagagcgagtgccgactgggtgtacaat  
gaactgcgggtgaggctagaggagcgccgtgggcccggcgctccgctgtgtctggaggagcgtgactggcta  
cctggcaagacgctgttcgaaaacctgtgggctcagctacagcagccgaagatgctgtttgtgctggccac  
acggaccaggtcagtgccctctgctgcccagcttccctgctggccagcagcgtctgctggaggaccgaaggac  
ggtgtggtgctggttaacctgagccctgacgcccgcggttcccggttacgtgcccgtgcccagcgccctctgccc  
20 cagagtgtcctctctggccccaccagcctagtggccagcgagcttctggggccagctaggcatggccctgacc  
agggacaaccgcaacctctataaccagaactctgcccggggccgacgatggctgagtagcacagagtgcagcc  
tggcatgtacaacccccagccctgaccttgcctctctgacctatgatgccagctctgcctcactctgtgacgccc  
tgctctgctccgcccacctcacccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca  
aaaaaaaaaaaaaaaaa  
25

## SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatggtgccctgcagccccctgtctctcctggtgcaggcgcccatgctggccgtggctctggcc  
caaggcacctgcctcccttccctgccctgtgagctccagccccacggcctggtgaactgcaactggtctgtcctg  
aagtcctgccccacttctcagcagcagcaccgggacaatgtcaccagcctttccttgcctctccaaccgcatc  
30 caccacctccacgactccgactttgcccactgtccaacctgcagaaactcaacctcaaattggaactgcccgcc  
gcccggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacacttccctggctgtaccacccctg  
gaggagctgaacctgagctacaacggcatcacgactgtgcctgccctgccagctccctcgtgtccctgatcctg  
agccgcaccaacatcctgcagctagacccccaccagcctcacgggctgcctgcccctgcgttccctatacatggat  
ggcaactgtactacaagaacccctgcggggcgggccctggagggtggccccaggcgccctccttggcctgggcaac  
35 ctacccacctgtcactcaagtacaacaacctcacacgggtgccccgcagcctgccccctagcctggagtacctg  
ctggtgtcctacaaccacattgtcacccctggcacctgaggacctggccaatctgactgcccctgcgtgtgctcgat  
gtgggtggaaactgcccgcgctgtgacctgcacgcaacccctgcgtggagtggccacataaattccccagctg  
cactccgacaccttcagccacctaaagccgcttagaaggcctcgtgtgaaggatagtctctctaccagctgaac  
cccagatggttcggtggcctgggcaacctcacagctgcagcctgagtgagaacttccctacagcagctgcatcacc  
40 aaaaccaaggcattccaggcctgggcccagctgcgaagactcaacttgtccttcaattaccataagaagggtgtcc  
ttcgccacctgacgctggcaccctccttcgggagcctgctctccctgcaggaactggacatgcatggcatcttc  
ttcgctcactcagccagaagacgctccagccactggcccgcctgccatgctccagcgtctgtatctgcagatg  
aacttcataaccaggcccagctcgccatcttcaaggacttccctggtctgcgtacatagacctgtcagacaac  
cgcatcagtgaggctgtggagccgggtggccaccacaggggagggtggatggtgggaagaaggctcgtgctgacatcc  
45 agggacctcactccaggcccactggacacccccagctctgaggacttcagccaagctgcaagaacctcagcttc  
accttggaacctgtcacggaacaacctggtaacagctccagccagagatggttgcccagctctcgcgcctccagtg  
ctgccttgagccacaacagcatctcgaggcggtcaatggctcacagttcgtgccactgaccagcctgcagggtg  
ctggacctgtcccataacaaactggacctgtacctggggcgtcgtttacggagctgccgcgactggaggccctg  
gacctcagctacaacagccagcccttcagcatgccccgtgtgggcccacaacctcagctttgtggcccagctgccc  
50 accctgcgtacctcagcctggcacacaatggcatccacagccgctgtgtcccagcagctctgcagcacctcgctg  
tgggcccctggacttcagcggcaattccctgagccagatgtgggctgaggagacctctatctccgcttcttccaa  
ggcctgagaagcctaattccggctagacctgtcccagaatcgtctgcataccctcctgccatgcacctgggcaac  
ctccccaaagagcttgagctgctgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc  
ctgcccacacctggaaacctggacctgggtggaaacctggaaggctctgagcaatggcagcctgctctggc  
55 acccagctccagagctggagctcagcaggaacagcatcatctcgtggtccctggcttcttctgctggccacg  
aggctgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctgggtttggtttcctagcaggc  
tcccttgaagtccctagatgtgagcgccaacctctgcactgcgcctgtggggcagcctttgtggacttccctgctg

- 17 -

cagggttcaggctgccgtgcctggtctgcccagccgctcaagtgtggcagtcggggccagctccagggccgcagc  
atcttcgcacaaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

## SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPAFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLRLEGLVLKDSSLYKLEK  
10 DWFRGLGRLOVLDLSENFYDYITKTTIFRNLTLQLRRLNLSFNYHKKVSFAHLQLAPSFGGGLVSLEKLDHMGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVLDSDNRI SGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPCSNLNFITLDSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSITVLP  
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGFSLMVA  
LGLAVPMLHHLHCGWDLWYCFHLCLAHLPRLRRRQRGEDTLLYDAFVVFDKAQSAVADWVYNELRVQLEERRGRRL  
RLCLEERDWLPGKTLFENLWASVYSSRTMFVLDHTDRVSGLLRASFLAQORLLEDKDVVVLVILRPAAYRSR  
YVRLRQRLCRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYRNRCRGPTTAE

## 20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPAFLPCELQPRGKVCNWLFLKSVPRFSAGAPRANVTSLSLISNRIH  
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS  
RTSILVLGPTHFTGLHALRFLYMDGNCYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL  
LSYNHIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKNFPKLHPDTFSHLRLEGLVLKDSSLYKLEK  
25 DWFRGLGRLOVLDLSENFYDYITKTTIFRNLTLQLRRLNLSFNYHKKVSFAHLQLAPSFGGGLVSLEKLDHMGIF  
RSLTNTTLRPLTQLPKLQSLSLQLNFINQAELSIFGAFPSLLFVLDSDNRI SGAARPVAALGEVDSGVEVWRWPR  
GLAPGPLAAVSAKDFMPCSNLNFITLDSRNNLVITIQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD  
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLFSVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA  
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLDNLPKSLRQLRLRDNNLAFFNWSSITVLP  
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLANRLKELNLSANALKTVDPFWFGRLTETL  
NILDVSANPLHCACGAFAVDFLLEMQAAPVGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG

## SEQ ID NO:19 (Ovine TLR9)

gtcggcacgggaagtgcagcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga  
35 agccgcattccctgcatgggcccctactgtgcccgcacccctttctctcctggtgcaggcgggcgctggc  
agcagccctggccagggcaccctgcctgccttccctgcctgtgagctccagccccgggtaagggtgaactgcaa  
ctggtgttctctaagtctgtgcccgccttttcggccggagcccccgggccaatgtcaccagcctctcctaat  
ctccaaccgcatccaccacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagt  
gaactgcccgcggccggcctcagccccatgcacttccctgcccgcagcatgaccatcgaccaccaacacctcctggc  
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgaccgtgctgcccctgcccagttctctcgt  
atccctgtcgtgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcagccctgcgctt  
tctgtacatggacggcaactgctactataagaacccctgccagcaggcgtggaggtggccccaggcgccctcct  
tggcctgggcaacctcacgcacctgtcgctcaagtaacaacctcacggaggtgccccgcgcctgccccccag  
cctggacacctgctgctgtcctacaaccacatcatcaccctggcaccgcaggacctggccaatctgactgccct  
45 gcgtgtgcttgatgtggcggggaactgcgcgcgtgcgaccacgcccgaacccctgcaggagtgcccaagaa  
cttccccaaagctgcaccctgacacctgcagccacctgagccgcctcgaaggcctggtgtgaaggacagtctct  
ctacaaactagagaaagactgggtccgcggcctgggcaggctccaagtgtcgacctgagtgagaactcctcta  
tgactacatcaccaagaccaccatctcagggaacctgaccagctgcgcagactcaacctgtccttcaattacca  
caagaaggtgtccttcgcccacctgcaactggcaccctcctttggggcctggtgtcctggagaagctggacat  
50 gcacggcatcttctccgctccctcaccaaccacacgctccggccgctgaccagctgcccagctccagagctct  
gagctgtcagctgaacttcatcaaccaggccgagctcagcatctttggggccttcccgagcctgctcttcgtgga  
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcctcggggaggtggacagcggggtggaagt  
ctggcggtggcccaggggcctcgctccaggcccgctggccgcctcagcgcaaggacttcatgccaaagctgcaa

- 18 -

cctcaacttcaccttggacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctccc  
 cctccagtgccctgcgcctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacctg  
 cctgcgagtgctcgacctgtcctacaacaagctggacctgtacctggggcgctcgttcacggagctgcccagct  
 ggaggcactggacctcagctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggc  
 5 ccagctgccgtccctgcgtacctcagccttgccgacaaacggcatccacagccgctgtcacagaagctcagcag  
 cgcctcgtgcgcgcctggacttcagcggcaacctccctgagccagatgtgggcccagggagacctctatctctg  
 cttcttcaaaggcttgaggaaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgtca  
 cctggataacctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag  
 cctgactgttctgccccagctggaagccctggatctggcggaaccagctgaaggccctgagcaacggcagcct  
 10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggctttgtgaccttggcttcttctgt  
 ccttgccaacggctgaaagacttaacctcagcggcaacgcctgaagacagtggatcccttctgggttcgtcgt  
 ctttaacagagacctgaatatcctagacgtgagcgcaacccgctccactgtgcctgcggggcgcccttctgtgga  
 cttcctgctggagatgcaggcgccgtgcctgggtgtccaggcgctcagctgtggcagtcggggcgagctcca  
 gggccgcagcatcttcgcacaggacctgcgcctctgcctggatgagacctctccttgactgcttggcttctc  
 15 gctgctaattgggtggcgctgggctggcggtgcccatgctgcaccacctctgtggctgggacctgtgggtactgctt  
 ccacctgtgtctggccatttgccccgacggcgccggcgagcggggcgaggacacctgctctacgatgccttcgt  
 ggtcttcgacaaggcgagagtgagtgagtgccgactgggtgtacaacagagctccgcgtgcagctggaggagcgccg  
 cggcgccggcgctccgcctctgcctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg  
 ggctcggctctacagcagccgtaagaccatgttcgtgctggaccacacggaccgggtcagtgccctcctgcgcgc  
 20 cagcttcctgcccagcagcgcctgttgaggaccgcaaggatgtcgtgggtgctgggtgatcctgcgccccgc  
 cgcctaccgggtccgcgtacgtgcggctgcgcagcgcctctgcggccagagcgtcctccttgccccaccagcc  
 cagtgggccagggtagcttctgggccaacctgggcatggcctgaccagggaacaaccgccacttctataaccggaa  
 cttctgcggggggccccacgacagccgaatagcacagagtactgcccag

# 25 SEQ ID NO:20 (Ovine TLR9)

atggggccctactgtgccccgcacccccctttctctcctggtagcaggcgggcgctggcagcagccctggcccag  
 ggcacctgacctgccttctgcccgtgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag  
 tctgtgcgcgccttttcggccggagcccccgggccaatgtcaccagcctctccttaactccaaccgcatccac  
 30 cacttgacgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgcggcc  
 ggctcagccccagcacttcccctgcgcagatgacctcagcccaacaccttctggctgtgcccacctggag  
 gactgaaacctgagctacaatggcatcacgaccgtgcctgcctgcccagttctctcgtatccctgtcgtcagc  
 cgaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcctgcgcctttctgtacatggacggc  
 aactgctactataagaaccttgcagcaggccgtggaggtggccccaggcgccctccttgccctgggcaacctc  
 35 acgcacctgtcgtcagtaacaacctcagcagggtgccccgcgcctgccccagcctggacacctgctg  
 ctgtcctacaaccacatcatcaccctggcaccggaggacctggccaatctgactgcctgcgtgtgcttgatgtg  
 ggcggaactgcccgcgtgcgaccacgcccgaacctcctgaggagtgcccaagaacttccccagctgcac  
 cctgacaccttcagccacctgagcgcctcgaaggcctggtgtgaaggacagtctctctataaactagagaaa  
 gactgggtccgcggcctgggcaggctcgaagtgtcgacactgagtgaacttctctatgactacatcaccaag  
 40 accaccatcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaaggtgtccttc  
 gccacctgcaactggcaccctccttggggcgctggtgtccctggagaagctggacatgcacggcatctcttc  
 cgctccctcaccaacaccacgctccggcgctgaccagctgcccagctccagagtctgagtctgcagctgaac  
 tcatcaaccaggccgagctcagcatcttggggccttcccagcctgctcttcgtggacctgtcggacaaccgc  
 atcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagtctggcggtggccagg  
 45 ggctcgtccaggcccgtggccgcccctcagcgaaggacttcatgccaagctgcaacctcaacttcaccttg  
 gacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctccgcctccagtgccctgcgc  
 ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgcgcgtgaccgcctgcgagtgctcgac  
 ctgtcctacaacaagctggacctgtaccatggcgctcgttcacggagctgcccagctggaggcactggacctc  
 agctacaacagccagcccttcagcatgcaggcgctggggccacaacctcagcttcgtggccagctgcccgtccctg  
 50 cgctacctcagccttgccgacaaacggcatccacagccgcgtgtcacagaagctcagcagcgcctcgtgcgcgcc  
 ctggacttcagcggcaactccctgagcagatgtgggcccagggagacctctatctctgcttcttcaaaggcttg  
 aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc  
 aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc  
 cagctgggaagcctggatctggcggaaccagctgaaggccctgagcaacggcagcctgcccactggcaccgg  
 55 ctccagaagctggagctgagcagcaacagcatcggcttctgtagccctggcttcttctgctcccaaccggctg  
 aaagagcttaacctcagcggcaacgcctgaagacagtggatcccttctggttcggctcgttaacagagacctg  
 aatatcctagacgtgagcgccaacccgctccactgtgcctgcggggcgcccttctgaggacttctgctggagatg

- 19 -

caggcggccgtgcctgggctgtccaggcgcgtcacgtgtggcagtcggggccagctccagggccgcagcatcttc  
gcacaggacctgcgcctctgcctggatgagacctctccttggactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are  
publicly available. For example, an amino acid sequence for canine TLR9 is available as  
GenBank accession number BAC65192 and its corresponding nucleotide sequence is  
available as GenBank accession number AB104899. An amino acid sequence for feline  
TLR9 is available as GenBank accession number AAN15751 and its corresponding  
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also  
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9  
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively  
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide  
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides  
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-  
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on  
comparison with known amino acid sequences of human and murine TLR9, it appears that  
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the  
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See  
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular  
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline  
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID  
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID  
NO:25.

#### SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI  
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL  
SRTNIVLDPATLAGLYALRFLFLDGNICYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVPVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHYHKKVVSFAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTTLQSLAHLPLQRLHLQLNFISSQAQLSIFGAFPGRLRYVDLSDNRI SGAAEPAAATGEVEADCGERVWP  
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 5 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFSSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSSQLRSA  
 SLRALDFSGNTLSQMWAEGLYLRFFQGLRSLVQLDLSQNRHLTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL  
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRRGRRRGVDALAYDAFVVFDKAQSSVADWVYNELRVQLEERRG  
 10 RRALRLCLEERDWPVKTLFENLWASVYSSRKTLFVLARTDRVSGLLRASFLLAQQRLLLEDKRDVVLVILCPDA  
 HRSRYVRLRQRLCRQSVLLWPHQPSGQRSFVAQLGTALTRDNRFYNQNFRCGPTTA

## SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAAPRGVNTSLSLYSNRI  
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSSLVSLSL  
 SRTNILLVDPATLAGLYALRFLFLDGNICYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL  
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRCDHARNPCRECPKGFPPQLHPNTFGHLSHLEGLVLRDSSLYSLD  
 PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRRLNLSFNHYHKKVVSFAHLHLASSFGSLLSLQELDIHGIF  
 FRSLSKTTTLQSLAHLPLQRLHLQLNFISSQAQLSIFGAFPGRLRYVDLSDNRI SGAAEPAAATGEVEADCGERVWP  
 20 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLVTVPQEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL  
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFSSMRGVGHNL SFVAQLPALRYLSLAHNGIHSRVSSQLRSA  
 SLRALDFSGNTLSQMWAEGLYLRFFQGLRSLVQLDLSQNRHLTLLPRNLDNLPKSLRLLRLRDNLYLAFFNWSSL  
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSSFALAVRLRELNLSANALKTVEPSWFGSL  
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFS  
 25

## SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgccagcctgccagccagaccctctggagaag  
 ccccgctccctgtcatgggcccctgccgtggcgcccctgacccccctgtctctcctgggtgcaggctgccgcgcta  
 gccctggccctggccagggcaccctgcctgccttctgcctgtgagctccagccccatggcctggtgaactgc  
 30 aactggctgttctcctcaagtccgtgccccgcttctcggcagctgcaccccgcggtaacgtcaccagcctttccttg  
 tactccaaccgcatccaccacctcctgactatgactttgtccacttcgtccacctgctggcgctctcaatctcaag  
 tggaaactgcccgcggccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctg  
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgccttgcaggttcgctt  
 gtgtccctgtccctgagccgcaccaacatcctgggtgctggaccctgccaccctggcaggcctttatgccctgcgc  
 35 tctcctgttccctggatggcaactgctactacaagaaccctgcagcaggccctgcagggtggccccaggtgcccc  
 ctgggcctgggcaacctcacacacctgtcactcaagtacaacaacctcacctgggtgcccgcggggcctgcccc  
 agcctggagtacctgtcttctgctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcc  
 ctgctgtctcctcgatgtgggtgggaactgtcgccgctgtgacctgcccgtaacccctgcaggagtgccccaag  
 ggcttccccagctgcacccccaaccttccggccacctgagccacctcgaaggcctgggtgtgaggagacagctct  
 40 ctctacagcctggacccccaggtggttccatggcctgggcaacctcatggtgctggacctgagtgaagaacttccctg  
 tatgactgcatcaccaaaaccaaagccttctacggcctggccggctgctgcagactcaacctgtccttcaattat  
 cataagaaggtgtcctttgcccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac  
 atacatggcatcttcttccgctcgctcagcaagaccagctccagtcgctggccacctgcccactgtccagcgt  
 ctgcatctgcagtgtaactttatcagccaggcccagctcagcatcttcggcgcttccctggactgcggtagctg  
 45 gacttgcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggg  
 gagagagtctggccacagctcccggaaccttgcctgtgggcccactgggcacccccggctcagaggccttcatgccg  
 agctgcaggacccctcaacttcaccttggacctgtctcggaacaacctagtactgttcagccggagatgtttgtc  
 cggctggcgccctccagtgcttggcctgagccacaacagcatctcgaggcggtcaatggctcgagcttcgtg  
 cctctgagcaacctgcgggtgctggacctgtcccaataaagctggacctgtaccacggggcgctcgcttcacggag  
 50 ctgcccggctgggagccttgacctagctacaacagccagcccttcagcatgcggggcgctgggcccagaatctc  
 agctttgtggcacagctgccagccctgcgctacctcagcctggcgacaaatggcatccacagccgctgtgtccag  
 cagctccgcagcgccctcgctccgggcccctggactcagtggaataacctgagccagatgtgggcccaggagac  
 ctctatctccgcttcttccaaggcctgagaagcctgggtcagctggacctgtcccagaatcgctgcataccctc  
 ctgcccagcaacctggacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttc  
 55 aactggagcagcctggccctcctaccaagctggaagccctggacctggcggaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcccaacggcaccagctccagaggctggacctcagcggcaacagcatcggttctgtggtcccc  
 agcttttttgccctggcgtgaggcttcgagagctcaacctcagcggcaacgcctcaagacggtggagccctcc  
 tggtttgggtccctggcgggtgacctgaaagtccctagacgtgaccgccaaccccttgcatctgcgcttgccggcgca  
 5 accttcgtggacttcttctgctggaggtgcaggtgcggtgcccggcctgcctagccgtgtcaagtgcggcagcccg  
 ggccagctccagggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgctctcctgggtctgt  
 ttcaagcctctcgctgctggtggtggccctgagcctggtgtgcccattgctgcaccagctctgtgggtgggacctc  
 tggtaactgcttccacctgtgcctggcctggctgccccggcgggggcgggcggggtgtggatgacctggcctat  
 gacgccttcgtggtcttcgacaaggcgagagctcggtggcggtggtgtacaatgagctgcgggtacagcta  
 10 gaggagcgccgtggcgccggcgctacgcctgtgtctggaggaaactgactgggtaccggcgaacacccctcttc  
 gagaacctctgggctcagtttacagcagccgaagacgctgtttgtgctggcccgacggacagagtcagcggc  
 ctctgcgtgacagcttctctgctggcccaacagcgctgctggaggaccgcaaggacgctcgtggtgctggtgatc  
 ctgtgccccgacgcccacgcctccgcctatgtgcggtgctgcccagcgctctgcccagagtgctcctcctctgg  
 cccaccagccagtggtgacgagcagcttctgggcccagctgggcacggccctgaccagggacaacggccacttc  
 15 tacaaccagaacttctgcccggggcccccacgacagcctgataggcagacagccagcaccttcgcgccccctacac  
 ctgctgtctgtctgggatgcccagcctgtggtctacaccgcccgtctgtctccccctacaccagccctggca  
 taaagcgaccgctcaataaatgctgctggtagac

## SEQ ID NO:24 (Canine TLR9)

atggggccctgcccgtggcgccctgcacccctgtctctcctggtgcaggctgcccgcctagccctggccctggcc  
 20 cagggcaccctgcctgccttccctgcccctgtgagctccagcccatggcctggtgaactgcaactggctgttcttc  
 aagtcctgctgcccgccttctcggcagctgcaccccgcggtaacgtcaccagccttctctgtactccaaccgcatc  
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggaaactgccgccc  
 gccagcctcagcccatgactttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacccta  
 25 gaggacctgaactctgagctataacagcatcacgactgtgcccgcctgcccagctcgcttgtgtccctgtccctg  
 agccgcaccaacatcctggtgctggacctgcccacctggcaggcctttatgcccctgcgcttccctgttccctggat  
 ggcaactgctactacaagaacccctgccagcaggccctgcagggtggccccaggtgcctcctgggctgggcaac  
 ctcacacacctgtcactcaagtaacaacacctcaccgtggtgcccggggcctgccccccagcctggagtacctg  
 ctcttgtcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat  
 30 gtgggtgggaactgtcgccgctgtgacctgcccgtaacccctgcaggagtgcccccaagggttccccagctg  
 caccccaacaccttcggccacctgagccacctcgaaggcctggtgttgaggagacagctctctctacagcctggac  
 ccgacctgggtccatgagctataacagcatcagctgtgacctgagtgagaacttccctgtatgactgcatcacc  
 aaaaccaaagccttctacggcctggcccgctgcccagactcaacctgtccttcaattatcataagaagtgttcc  
 35 tttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggacatacatggcatcttc  
 ttccgctcgctcagcaagaccacgctccagtcgctggcccacctgcccattgctccagcgtctgcactgtcagttg  
 aactttatcagccaggccagctcagcatcttcggcgcccttccctggactgcggtacgtggacttgcagacaac  
 cgcacagtgaggctgcagagcccgcgctgccacaggggaggtagaggcagactgtggggagagagctctggcca  
 40 cagtcccggaaccttgcctctggggccactgggcacccccggctcagaggccttcatgcccagctgcaggacctc  
 aacttcaccttggacctgtctcggaacaacctagtgttccagccggagatgtttgtccggctggcgccctc  
 cagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagttcgtgctctgagcaacctg  
 45 cggtgtgctggacctgtcccataacaagctggacctgtaccacggcgctcggtcacggagctgcccggctggag  
 gccttggacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacaatctcagctttgtggcacag  
 ctgcccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc  
 tcgctccggggccctggacttcagtggaataacctgagccagatgtggggccgaggagacctctatctccgcttc  
 50 tccaaggcctgagaagcctggttcagctggacctgtcccagaatcgccctgcataacctcctgccacgcaacctg  
 gacaacctccccaaagcctgcggctcctgcggctccgtgacaattacctggcttcttcaactggagcagcctg  
 gccctcctacccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttgccc  
 aacggcaccagctccagaggctggacctcagcggcaacagcatcggttctgtggtccccagcttttttgccctg  
 gccgtgaggcttcagagactcaacctcagcgccaacgcctcaagacggtggagccctcctgggttgggttccctg  
 55 gcgggtgcccctgaaagtccctagacgtgaccgccaaccccttgcatctgcgcttgccggcgcaaccttcgtggacttc  
 ttgctggaggtgcaggctgcggtgcccggcctgcctagccgtgtcaagtgcggcagccggggcagctccagggc  
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctctcctgggtctgtttcagc

## SEQ ID NO:25 (Feline TLR9)

MGPCHGALHPLSLLVQAAALAVLAQGTLPAPFLPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLYSNRI  
 55 HHLHDSDFVHLSSLRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLSVLSL

- 22 -

SRTNIIVLDPANLAGLHSLRFLFDGNCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSSLYNLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSAHLHLAPSFGSLLSLQQLDMHGIF  
FRSLSETTLRLSLVHLPMLQSLHLQMFINQAQLSIFGAFPLRLYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
5 GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRLLHTLLPRTLNDLPLKSLRLLRLRDNYLAFFNWSSSLVL  
LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAVPGLPGHVKCSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLT  
10 VALGLAVPMLHHLGWDWLWYCFHLCLAWLPRRGRRRGADALPYDAFVFDKAQSAVADWVYNELRVRLERRRGR  
ALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQRLLLEDKDVVVLVILRPDAHR  
SRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCRGPPTAE

## SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLVQAAALAVALAQGTLPALPCELQRHGLVNCDWLFLKSVPHFSAAAPRGNVTSLSLSYSNRI  
HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCMTIEPHTFLAVPTLEELNLSYNSITTPALPSSLSVLSL  
SRTNIIVLDPANLAGLHSLRFLFDGNCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL  
LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSSLYNLN  
PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSAHLHLAPSFGSLLSLQQLDMHGIF  
20 FRSLSETTLRLSLVHLPMLQSLHLQMFINQAQLSIFGAFPLRLYVDLSNDRISGAMELAAATGEVDGGERVRLPS  
GDALGPPGTPSSEGFMPCGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLSRNSISQAVNGSQFMPLTSLQV  
LDLSHNKLDLYHGRSFTELPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL  
RALDFSGNALSRMWAEGDLYLHFFRGLRSLVRLDLSQNRLLHTLLPRTLNDLPLKSLRLLRLRDNYLAFFNWSSSLVL  
LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG  
25 TLKVLVDVTGNPLHCACGAAFVDFLLEVQAAVPGLPGHVKCSPGQLQGRSIFAQDLRLCLDEALSWDCFG

## SEQ ID NO:27 (Feline TLR9)

agggctcgcgagctccaggcattcttctctgcatcgctgccagctcgcacccctctggagaagcccc  
cactccctgtcatggccccctgcatggcgccctgcacccctgtctctcctggtgcaggctgcgcgctggccg  
30 tggccctggccaggccacccctgcctgccttctgcccctgtgagctccagcgccacggcctggtgaattgcgact  
ggctgttctcctcaagtcctgccccacttctcgccggcagcgccccctggttaacgtcaccagccttccctgtact  
ccaaccgcatccaccacctccagcactccgactttgtccacctgtccagcctgcggcgctctcaacctcaaatgga  
actgcccacccgcagcctcagccccatgcacttccctgtcacatgaccattgagccccacaccttccctggccg  
tgccacccctggaggagctgaacctgagctacaacagcatcacgacagtaccgcacctgcccagttccctcgctgt  
35 cctgtccttgagccgtaccaacatcctggtgctggaccctgccaacctgcagggctgcactccctgcgcttct  
tgctcctggatggcgaactgctactacaagaacccctgccccgagccctgcaggtggcccgccgctcccttg  
gcctgggcaaccttacgcacctgtcactcaagtacaacaacctcactgcggtgccccgcggcctgccccccagcc  
tggagtacctgctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgacctgc  
gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgcccgaacccctgtatggagtgcaccaagggct  
40 tcccgacctgcacccctgacacctcagccacctgaaccacctcgaaggcctggtgttgaggacagctctctct  
acaacctgaacccagatggttccatgcccctgggcaacctcatggtgctggacctgagtgagaacttccatata  
actgcatcacaaaaccacagccttccaggggcctggccagctgcgcagactcaacttgtcttcaattaccaca  
agaagggtctccttggccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc  
atggcactcttcttcgctcgctcagcgagaccacgctccggtcgctggtccacctgcccagctgcagagctgc  
45 acctgcagatgaacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacc  
tgtcagacaaccgcataagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagctcc  
ggctgcatctggggacctagctctggggccaccgggcacccctagctccgagggttcatgccaaggctgcaaga  
ccctcaacttcccttgacctgtcacggaacaacctagtgacaatccagccagagatggttggccggctctcgc  
gcctccagtgctgctcctgagccgaacagcatctgcaggcagctcaacggctcacaatttatgccgctgacca  
50 gctgcaggtgctggacctgtcccataacaagctggacctgtacctggcgctcttccacggagctgcccggcg  
tggaggccctggagcctcagctacaacagccagccctcagctgagggcgctgggtcacaacctcagcttctgtg  
cacagctgcggccctgcgctatctcagcctggcgcaacagcatccacagcgtgtgtccagcagctctgca  
gcgctcgctgcgggccttgacttcagcggaatgccttgagccggtgtggggcgaggagacctgtatctcc  
acttcttccgaggcctgaggagcctggctcggttgatctgtccagaatcgctgcataccctcttgccacgca  
55 ccctggacaacctccccaagagcctgcggctgctcgctctccgtgacaattatctggcttcttcaactggagca



- 23 -

gcctggctcctcctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagct  
 tgcctaataatggaacccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg  
 ctctggccaccaggctgcgagagctcaacctcagtgccaacgcctcaagacggctggagccctcctgggtcgggtt  
 ctctagcggggcaccctgaaagtccctagatgtgactggcaacccctgcaactgcgctgtggggcgccctcgtgg  
 5 acttcttgctggaggtgcaggtgcagtgcccgccctggcaggccacgtcaagtgtggcagtcacagtcagctcc  
 agggcgcagcatctttgcgcaggatctgcgcctctgcctggatgagccctctcctgggactgttttggcctct  
 cgctgctgaccgtggccctgggctggcgtgcccattgctgcaccacctctgtggctgggacctctgtactgct  
 tccacctgtgctggcctggctgccccggcgggggcgggcgggcgggcgggatgccctgccctacgatgcctttg  
 tggctcttcgacaaggcacagagcgcgtggccgactgggtgtacaacgagctgcgggtacggctagaggagcgcc  
 10 gtggacgcgagcgtccgcctgtgctggaggaaacgtgactggctacccggtaaaacgctctttgagaacctgt  
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggccacacagacagggtcagcggcctcttgcgcg  
 ccagctttctgctggccagcagcgcctgctggaggaccgcaaggacgttgtggtgctggtgatcctgcgccccg  
 acgcccaccgctcccgctatgtgcggctgcgcagcgcctctgcgcagagcgtcctcctctggccccaccagc  
 ccagtgccagcgcagcttctggggccagctgggacggccctgaccagggaacaccagcacttctataaccaga  
 15 acttctgcgggggccccacgacggcagagtaccgcccagcaccccaagcctctacaccttgctgtctgcctg  
 ggatgcccgg

## SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgcacccctgtctctcctgggtgcaggctgcgcgctggcctggccctggcc  
 20 cagggcaccctgctgcctttctgcctgtgagctccagcgccacggcctggatgagactggctgttctc  
 aagtcgctgccccacttctcgccgagcgcccgctggttaacgtcaccagccttccctgtactccaacgcgcatc  
 caccacctccagactccgactttgtccacctgtccagcctgcggcgctctcaacctcaaatggaactgcccaccc  
 gccagcctcagcccatgcaacttccctgtcacatgaccattgagccccacaccttccctggcctgcccacccctg  
 gaggagctgaacctgagctacaacagcatcacgacagtaccgccccctgccagttccctcgtgtccctgtccttg  
 25 agccgtaccaacatcctgggtgctggaccctgccaaactgcgagggctgcaactccctgcgcttctgttccctggt  
 ggcaactgctactacaagaacccctgcccgcaggccctgcaggtggccccggcgccctccttggcctgggcaac  
 ctacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg  
 ctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat  
 gtgggtgggaactgcccgtgcgtgtgaccacgcccgaacccctgtatggagtggcccaagggtctcccgacactg  
 30 cccctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaaggacagctctctctacaacctgaac  
 ccagatggttccatgcccctgggaacctcatggtgctggacctgaactgtctttcaattaccacaagaagggtgtcc  
 aaaaccacagccttcaggggcctggcccagctgcgcagactcaactgtctttcaattaccacaagaagggtgtcc  
 ttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgcatggcatcttc  
 ttccgctcgtcagcgagaccagctccggctgcgtgggtccacctgcccattgctccagagtctgcacctgcagatg  
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac  
 cgcataagtggagccatggagctggcggtgcccagggggaggtggatggtggggagagagtccggctgccatct  
 ggggacctagctctggggccaccgggcaacccctagctccgagggcttcatgccaggctgcaagacctcaacttc  
 acctggacctgtcaccggaacaacctagtgaacatccagccagagatgtttgcccggctctcgccctccagtg  
 40 ctgctcctgagcgcaacagcatctcgaggcagtcacaggctcacaatttatgcccgtgaccagcctgcaggtg  
 ctggacctgtcccataacaagctggacctgtacctggggcgtctttcacggagctgcccggcgtggaggccctg  
 gacctcagctacaacagccagcccttcagcatgcaggcggtgggtcacaacctcagcttgtggcacagctgccg  
 gccctgcgtatctcagcctggcgcaacacagcatccacagccgtgtgtcccagcagctctgcagcgcctcgtg  
 cgggccttggacttcagcggcaatgccttgagccggatgtggggccgaggagacctgtatctccacttctccga  
 ggcctgaggagcctggctccggttgatctgtccagaatgcctgcataacctcttgccacgcacctggacaac  
 45 ctccccaggctggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccctaatgga  
 acccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagctttttgctcgtggccacc  
 aggtgcgagagctcaacctcagtgccaacgcctcaagacgggtggagccctcctgggttcggttctctagcgggc  
 accctgaaagtccctagatgtgactggcaacccctgcactgcgcctgtggggcgccctcgtggacttctgctg  
 50 gaggtgcaggctgcagtgcccgccctgccaggccacgtcaagtgtggcagtcaggtcagctccaggggccgcagc  
 atctttgcgcaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide  
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide  
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

#### SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILELDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGPALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSRLVLDVGGNCRRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN  
 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLSEFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRI SGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGIHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSONNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTSL  
 FLPLNEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 25 MNLTVLVDVRSNPLHCACGAAFVDLLELVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSLL  
 AVAVGMVVPILHHLCGWDVWYCFHLCCLAWPLLLARSRRSAQALPYDAFVVFDKAQSAVADWVYNELRVRLERERG  
 RRALRLCLEDRDWLPQOTLFENLWASIYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA  
 HRSRYVRLRQLCRQSVLFWPQQPNGQGFWAQLSTALTRDNRFYNNQFCRGPTAE

#### SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWFLKSVPRFSAAASCSNITRLSLISNRI  
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNLSL  
 SHTNILELDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTGPALLGLSNLTHLSLKYNNTKVPRLPPSLEYL  
 LVSYNLIVKLGPEDLANLTSRLVLDVGGNCRRCDHAPNPCIECGQKSLHLHPETFHHLSHLEGLVLKDSLSLHTLN  
 35 SSWFQGLVNLSVLDLSENFLYESINHTNAFQNLTRLRKLNLSEFNRYKKVSFARLHLASSFKNLVSLQELNMNGIF  
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRI SGPSTLSEATPEEADDAEQEELL  
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ  
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGIHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLSNSNS  
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDLSONNLHILRPQNLDNLPKSLKLLSLRDNYLSFFNWTSL  
 40 FLPLNEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV  
 MNLTVLVDVRSNPLHCACGAAFVDLLELVQTKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

#### SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgctcc  
 ctcttggtacaggctgcagtgctggctgagactctggccctgggtaccctgcctgccttctaccctgtgagctg

- 25 -

aagcctcatggcctggaggactgcaattggctgttctgaagtctgtaccccgtttctctgcgccagcatcctgc  
tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc  
aacctgcgccagctgaacctcaagtggaaactgtccaccacctggccttagccccctgacttctcttgccacatg  
accattgagcccagaaccttctctggctatgctgacactggaggagctgaacctgagctataatgggtatcaccact  
5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtcttagatgctaacagc  
ctcgccggcctatacagcctgcgcggttctctcatggacgggaactgctactacaagaacccctgcacaggagcg  
gtgaagggtgaccccaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca  
aagggtgccccgccaactgccccccagcctggagtagctcctgggtgtcctataacctcattgtcaagctggggcct  
gaagacctggccaatctgacctcccttcgagtagcttgatgtgggtgggaattgccgtcgctgagacctgcccc  
10 aatccctgtatagaatgtggccaaaagtccctccacctgcacctgagacctccatcacctgagccatctggaa  
ggcctgggtgtgaaggacagctctctccatacactgaactcttctgggtccaaggtctgggtcaacctctcggtg  
ctggacctaaagcgagaactttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgcgc  
aagctcaacctgtccttcaattaccgcaagaaggtatcctttgcccgccctccacctggcaagtctcttcaagAAC  
ctgggtgctactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg  
15 gccgatctgcccAAactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatctttgggt  
accttccgagcccttcgcttctgtggactgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc  
cctgaagaggcagatgatgcagagcaggaggagctgtgtctcgccgatcctcaccagctccactgagcaccct  
gcttctaagaacttcatggacaggtgtaagaacttcaagttcaccatggacctgtctcggaacaacctgggtgact  
atcaagccagagatgtttgtcaatctctcacgctccagtgcttagcctgagccacaactccattgcacaggt  
20 gtcaatggctctcagttctctgcccgtgactaactgtcgaggtgtggacctgtccataaacaactggacttgtac  
cactggaaatcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagccctttagcatg  
aagggtataggccacaatttcaagtttggggccatctgtccatgctacacagccttagcctggcacacaatgac  
attcatacccgtgtgtcctcacatctcaacagcaactcagtgagggtttcttgacttcagcgggcaacggatgggc  
cgcatgtgggatgaggggggcccctttatctccatttcttccaaaggcctgagtgccctgctgaagctggacctgtct  
25 caaaataacctgcatatcctccggccccagaaccttgacaacctccccaaagagcctgaagctgctgagcctccga  
gacaactacctatctttctttaaactggaccagtctgtccttctctgccaaacctgggaagtcctagacctggcaggc  
aaccagctaaaggccttgaccaatggcaccctgcctaatggcaccctcctccagaaactggatgtcagcagcaac  
agtatcgtctctgtgggtcccagccttctctcgctctggcggtcgagctgaaagaggtcaacctcagccacaactt  
ctcaagacgggtggatcgctcctgggttggggccattgtgatgaacctgacagttcttagacgtgagaagcaacct  
30 ctgcaactgtgctgtggggcagccttcgttagacttactgttgagggtgcagaccaagggtgcctggcctggctaat  
gggtgtgaagtgtggcagccccggccagctgcagggccgtagcatcttcgcacaggacctgcggctgtgctggat  
gaggctcctctcttgggactgcttggccttctactcttggctgtggccgtgggcatgggtgggtgctatctgac  
catctctgcccgtgggacgtctggtagctgttttcatctgtgctggcatggctacctttgctggcccgagccga  
cgagcgcccaagctctcccctatgatgccttctgtgtgttcgataaggcacagagcgcagttgcccagctgggtg  
35 tataacgagctgcgggtgcggctggaggagcggcgcggtcgagcgcctacgcttgtgtctggaggaccgagat  
tggtgctgctggccagacgtctctcgagaacctctgggcttccatctatgggagccgcaagactctatttggctg  
gcccacacggaccgctcagtgccctcctgcgcaccagcttctgctggctcagcagcgccgtgttgaagaccgc  
aaggacgtgggtgtgtgtgatcctgcgtccgatgcccaacgctcccgtatgtgagactgcgcagcgtctc  
tgccgccagagtgtgctcttctggccccagcagcccaacgggcaggggggcttctggggccagctgagtaagcc  
40 ctgactagggacaaccgcccacttctataaccagaacttctgcccgggacctacagcagaatagctcagagcaaca  
gctggaaacagctgcatcttcatgctgggttcccagattgctctgctgc

## SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcaccccttgctccctcctgggtacaggctgcagtgctggctgagactctggcc  
45 ctgggtaccctgctgcttctaccctgtgagctgaagcctcatggcctgggtggactgcaattggctgttctgt  
aagtctgtaccccggttctctgcccagcatcctgtccaacatcaccgcctctccttgatctccaacccgtatc  
caccacctgcacaactccgacttcgtccacctgtccaacctgcccagctgaacctcaagtggaaactgtccaccc  
actggccttagccccctgacttctcttgccacatgaccttagagccagaaccttctggctatgcgtacactg  
gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgccagctccctgggtgaatctgagcctg  
50 agccacaccaacatcctgggtctagatgctaacagcctcgccggcctatacagcctgcccgttctctcatggac  
gggaactgctactacaagaacccctgcacaggagcgggtgaaggtagccccaggcgccctcctgggctgagcaat  
ctcaccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccccagcctggagtacctc  
ctgggtctctataacctcattgtcaagctggggcctgaagacctggccaatctgacctccttcgagtagcttgat  
gtgggtgggaattgccgtcgctgcgacctgcccccaatccctgtatagaatgtgggcaaaagtccctccacctg  
55 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac  
tcttctgggttccaaggtctgggtcaacctctcggtgctggacctgaagcgagaacttctctatgaaagcatcaac  
cacaccaatgcctttcagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggtatcc

- 26 -

tttgcccgcctccacctggcaagttccttcaagaacctgggtgtcactgcaggagctgaacatgaacggcatcttc  
 ttcgcgtcgctcaacaagtacacgctcagatgggtggccgatctgcccacactccacactctgcatcttcaaatg  
 aacttcatcaaccaggcacagctcagcatctttggtaccttccgagcccttcgctttgtggacttgcagacaat  
 cgcacagtgggcttcaacgctgtcagaagccaccctgaagaggcagatgatgcagagcaggaggagctgttg  
 5 tctgcggtatcctcaccagctccactgagcaccctgcttcaagaacttcatggacaggtgtaagaacttcaag  
 ttccacatggacctgtctcggaacaacctgggtgactatcaagccagagatgttggtaactctctcacgcctccag  
 tgtcttagcctgagccacaactccattgcacaggctgtcaatggctctcagttcctgcccgtgactaatctgcag  
 gtgctggacctgtcccataaacaactggacttgtaccactggaaatcgttcagtgagctaccacagtgcaggcc  
 ctggacctgagctacaacagccagcccttagcatgaagggtataggccacaatttcagttttgtggcccatctg  
 10 tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacgcaactca  
 gtgaggtttcttgacttcagcggcaacggatggggccgcatgtgggatgaggggggctttatctccatttcttc  
 caaggcctgagtgccgtgtgaagctggacctgtctcaaaaataacctgcatacctccggccccagaaaccttgac  
 aacctccccaaagagcctgaagctgtgagcctccgagacaaactacatcttctttaaactgagcagctgtgtcc  
 ttctgcccacactggaagtcctagacctggcaggcaaccagctaaaggccctgaccaatggcaccctgcctaat  
 15 ggcaccctcctccagaaactggatgtcagcagcaacagtatcgtctctgtggtcccagccttctctgctctggcg  
 gtcgagctgaaagaggtcaacctcagccacaacattctcaagacgggtggatcgctcctggtttggggccattgtg  
 atgaacctgacagttctagacgtgagaagcaaccctctgactgtgcctgtggggcagccttcgtagacttactg  
 ttggaggtgcagaccaaggtgcctggcctggctaaggtgtgaagtggtggcagccccggccagctgcaggggcgt  
 agcatcttcgcacaggacctgcggctgtgacctggatgaggtcctctcttgggactgctttggc

## SEQ ID NO:33 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVWLQP  
 GD LAPAPVDT PSED FRPNCSTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQGVGHNFSAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL  
 30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRLNLPKSLQVLRRLRDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHSWFGPLAS  
 ALQILDV SANPLHCACGA AFMDFLLEVQA AVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALS WDCFALSLLA  
 VALGLGVPMHLHLCGWDLWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVVDKTS AVADWVYNELRGQLEECRG  
 RWALRLCLEERDWLPKGTLFENLWASVYGSRKTLFVLAHTDRVSGLLRASFLLAQQLLEDKRDVVVLVILSPDG  
 35 RRSRYVRLRQLRCQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFCCGPTAE

## SEQ ID NO:34 (Human TLR9)

MGFCRSALHPLSLLVQAIMLAMTLALGTLPAFLPCELQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNRI  
 HHLHDSDFAHLPRLRLNLKWNCPVGLSPMHFPCCHMTIEPSTFLAVPTLEELNLSYNNIMTVPALPKSLISLSL  
 40 SHTNIMLDSASLAGLHALRFLFMDGNCYYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPSSLEYL  
 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNCPMECPRHFPQLHPDTFSLSRLEGLVLKSSLSWLN  
 ASWFRGLGNLRVLDLSENFLYKCITKTKAFQGLTQLRKLNLSFNQKRVSAHLSLAPSFGLVALKELDMHGIF  
 FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGEADGGEKVWLQP  
 GD LAPAPVDT PSED FRPNCSTLNFTLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV  
 45 LDLSRNKLDLYHEHSFTLPRLEALDLSYNSQPFMGQGVGHNFSAHLRTRLRHLSLAHNNIHSQVSQQLCSTSL  
 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDSLQNLRLHTLLPQTLRLNLPKSLQVLRRLRDNYLAFFKWWSLHF  
 LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRDVSCNSISFVAPGFFSKAKELRELNLSANALKTVDHSWFGPLAS  
 ALQILDV SANPLHCACGA AFMDFLLEVQA AVPGLP SRVKCGSPGQLQGLSIFAQDLRLCLDEALS WDCFA

## 50 SEQ ID NO:35 (Human TLR9)

aggcgtggtataaaaatcttacttctctattctctgagccgctgctgcccctgtgggaagggaacctcgagtgatga  
 agcatccttccctgtagctgctgtccagctctgcccgcagaccctctggagaagccctgccccccagcatgggt  
 ttctgccgcagcgcctgcaccgcgtgtctctcctgggtgcaggccatcatgctggccatgacctggccctgggt

- 27 -

accttgccctgccttcctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttcctgaagtct  
 gtgccccactttctccatggcagcaccctgtggcaatgtcaccagcctttccttgctcctccaaccgcatccaccac  
 ctccatgattctgactttgccacctgccagcctgcccgcctcctcaacctcaagtggaaactgccgcggttggc  
 5 ctcagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccaccctggaagag  
 ctaaacctgagctacaacaacatcatgactgtgctgcgtgcccacaaatccctcatatccctgtccctcagccat  
 accaaccatcctgatgctagactctgccagcctgcggcctgcatgccctgcgttccctattcattggacggcaac  
 tgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgcctccttgacctgggcaacctcacc  
 cacctgtcactcaagtaacaacacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg  
 10 tcctacaaccgcatcgtcaaacctggcgctgaggacctggccaatctgaccgacctgcgtgtgctcgatgtgggc  
 ggaaatgcccgcgctgcgaccacgctcccaacccctgcatggagtgccctcgctcacttccccagctacatccc  
 gataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaatgccagt  
 tgggtccgtgggtgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcactaaaacc  
 aaggccttcaggggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagagggtgtcctttggc  
 15 cactgtctctggcccccttcttcgggagcctggtagccctgaaggagctggacatgcacggcatcttctccgc  
 tctactcgatgagaccacgctccggcactggccccctgcccacatgctccagactctgcgtctgcagatgaacttc  
 atcaaccaggcccagctcggcatcttcagggccttccctggcctgcgtacgtggacctgtcggacaaccgcac  
 agcggagcttcggagctgacagccacctgggggaggcagatggaggggagaaggctctggctgcagcctggggac  
 cttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcacccctcaacttcaccttg  
 20 gatctgtcacggaacaacctggtagcctgcagccggagatgtttgccagctctcgcacctgcagtgcctgcgc  
 ctgagccacaactgcatctcgcaggcagtcacatggctcccagttcctgcccgtgaccggctctgcaggtgctagac  
 ctgtcccgaataagctggacctctaccagcagcactcattcacggagctaccgcgactggaggccctggacctc  
 agctacaacagccagccctttggcatgcaggcgtggggcacaacttcagcttcgtggctcacctgcgcacctg  
 cgccacctcagcctggccccacaacaacatccacagccaagtgtcccagcagctctgcagtagctcgtgcggggc  
 25 ctggacttcagcggcaatgcactggggccatgtgtggggcaggaggacctctatctgcacttcttccaaggcctg  
 agcggtttgatctggctggacttgtcccagaaccgctgcacacctcctgccccaaacctgcgcaacctcccc  
 aagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgcc  
 aaactggaagtccctgcacctggcaggaaaccggctgaaggccctgaccaatggcagcctgcctgctggcaccgg  
 30 ctccggaggctggatgtcagctgcaacagcatcagcttcgtggcccccgcttcttttccaaggccaaggagctg  
 cgagagctcaaccttagcgccaacgcccctcaagcagctggaccacctcctggtttggggccctgtcgagctcgtg  
 caaatactagatgtaagcgccaacctctgcactgcgcctgtggggcgccctttatggacttctgctggagggtg  
 caggctgccgtgcccggctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatcttt  
 gcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgccctctcgtgctggctgtggct  
 35 ctgggctgggtgtgcccacatgctgcatcacctctgtggctgggacctctggtactgcttccacctgtgcctggcc  
 tggcttccctggcgggggcggaagtggggcgagatgaggatgcccctgcctacgatgccttcgtggtcttcgac  
 aaaacgcagagcgcagtggcagactgggtgtacaacgagcttcggggggcagctggaggagtgcctggggcgctgg  
 gatcgcctcagcctggagggaacgcgactggctgctggcaaaacctcttgagaacctgtggcgctcgtgct  
 40 tatggcagccgcaagacgctgtttgtgctggcccacagcggggtcagtggtctcttgcgcgccagcttctg  
 ctggcccagcagcgcctgctggaggaccgcaaggacgtcgtggtgctggtgatcctgagccctgacggccgcccgc  
 tcccgtacgtgcccgtgcgccagcgcctctgcgccagagtgctcctctggtggcccaccagccagtggtcag  
 cgcagcttctggggccagctgggcatggccctgaccagggacaaccacctctctataaccggaactcttgccag  
 ggaccacagggccaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgc  
 tggctgacctccctgctcgcctccctcaccaccaacctgacacagagca

## SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgccttgcacccgctgtctctcctgggtgcaggccatcatgctggccatgacctggcc  
 ctgggtaccttgctgccttctaccctgtgagctccagccccacggcctgggtgaactgcaactggctgttcctg  
 aagtctgtgccccacttctccatggcagcaccctgtggcaatgtcaccagcctttccttgctcctccaaccgcatc  
 caccacctccatgattctgactttgccacctgccagcctgcccgcctcctcaacctcaagtggaaactgccgcg  
 50 gttggcctcagccccatgcacttccccctgccacatgaccatcgagcccagcaccttcttggtgtgcccaccctg  
 gaagagctaaacctgagctacaacaacatcatgactgtgctgcgtgcccacaaatccctcatatccctgtccctc  
 agccataccaacatcctgatgctagactctgccagcctgcggcctgcatgccctgcgttccctattcatggac  
 ggcaactgttattacaagaacccctgcaggcaggcactggaggtggccccgggtgcctccttgacctgggcaac  
 ctccccacctgtcactcaagtaacaacacctcactgtggtgccccgcaacctgccttccagcctggagtatctg  
 55 ctgtgtcctacaaccgcatcgtcaaacggcctgaggacctggccaatctgaccgacctgcgtgtgctcgat  
 gtggggcggaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgccctcgtcacttccccagcta  
 catcccgataccttcagccacctgagccgtcttgaaggcctgggtgttgaaggacagttctctctcctggctgaat  
 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacccaaaagaggggtgtcc  
 tttgccacctgtctctggcccttcccttcgggagcctggctgcctgaaggagctggacatgcacggcatcttc  
 ttccgctcactcgatgagaccagctccggccactggcccgctgcccatgctccagactctgctctgcagatg  
 aacttcatcaaccagggcccagctcggcatcttcagggccttccctggcctgcgctacgtggacctgtcggacaac  
 5 cgcacagcggagcttcggagctgacagccaccatgggggaggcagatggaggggagaaggtctggctgcagcct  
 ggggaccttgctccggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc  
 accttggatctgtcacggaacaacctggtagcctgcagccggagatgttggccagctctcgcacctgcagtgc  
 ctgctgctgagccacaactgcacctcgcaggcagtcattggctcccagttcctgcccgtgacccggtctgcaggtg  
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggagggcctg  
 10 gacctcagctacaacagccagcccttggcatgcagggcgtgggccacaacttcagcttcgtggctcacctgcgc  
 acctgcgccacctcagcctggcccaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg  
 cgggccctggacttcagcggcaatgcactgggccatatgtggccgagggagacctctatctgcacttcttccaa  
 ggctgagcgggttgatctggctggacttgctccagaaccgctgcacaccctcctgccccaaacctgcgcaac  
 ctccccaaagagcctacaggtgctgcgtctcgtgacaattacctggccttctttaagtggaggcctccacttc  
 15 ctgccccaaactggaagtctcgcacctggcaggaaccggctgaaggccctgaccaatggcagcctgctgctggc  
 acccggtctccggaggtggtgctgagctgcaacagcatcagcttcgtggcccccggttcttttccaaggccaag  
 gagctgcgagagctcaaccttagcgccaacgccctcaagacagtggaacctcctggtttggggccctggcgagt  
 gccctgcaataactagatgtaagcgccaaccctctgcactgcgcctgtggggcgcccttatggacttctgctg  
 gaggtgcaggctgccgtgcccgggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc  
 20 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9  
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and  
 nucleic acid molecules encoding them are provided by the invention. The chimeric  
 25 polypeptides include at least one amino acid substitution based on a comparison of  
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,  
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple  
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in  
 Figure 1, can be used to identify and select individual amino acid positions and even  
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or  
 substitutions can be effected using methods known to those of ordinary skill in molecular  
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be  
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino  
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second  
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to  
 alter conformation. For example, conservative amino acid substitutions generally may be  
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),  
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-  
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide  
5 sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is  
10 operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase,  $\beta$ -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in  
15 eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art.  
20 The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

25 In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid  
30 coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA



- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:



wherein  $\text{X}_1$  and  $\text{X}_2$  are nucleotides, N is any nucleotide, and  $\text{N}_1$  and  $\text{N}_2$  are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments  $\text{X}_1$  is adenine, guanine, or thymine and/or  $\text{X}_2$  is cytosine, adenine, or thymine. In other embodiments  $\text{X}_1$  is cytosine and/or  $\text{X}_2$  is guanine.

Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the  $\beta$ -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease). Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has  
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular exo- and endo-nucleases.  
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by  
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,  
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid  
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty  
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene  
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180  
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)  
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al. (2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and  
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

	MBD-1	R-XXXXXXXX-R-X-D-X-Y-XXXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
	hTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
	mTLR9	Q-XXXXXXXX-K-X-D-X-Y-XXXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5	hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
	mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSERP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test  
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of  
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory nucleic acids. The immunostimulatory compound can be, for example, a nucleic acid  
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a  
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact  
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a  
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to  
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving  
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including  $\kappa$ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- $\kappa$ B. Examples of such promoters include, without limitation, those for NF- $\kappa$ B, IL-1 $\beta$ , IL-6, IL-8, IL-12 p40, CD80,  
25 CD86, and TNF- $\alpha$ . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase,  $\beta$ -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- $\alpha$ ). In  
30 certain embodiments the reporter is selected from IL-8, TNF- $\alpha$ , NF- $\kappa$ B-luciferase (NF- $\kappa$ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

*Mol Cell Biol* 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- $\kappa$ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

10 According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

15 In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I $\kappa$ B, NF- $\kappa$ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

30 Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test



- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

### Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

*Cells and Tissues.* Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in RNA/later™ (Ambion®, Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

*First-strand cDNA synthesis.* Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using  
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T<sub>(18)</sub>]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at  
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl<sub>2</sub>) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix  
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

*Cloning and sequencing.* The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min  
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZerO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

*Results.* Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19, 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

#### Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, [www.cmbi.kun.nl/bioinf/tools/clustalw.shtml](http://www.cmbi.kun.nl/bioinf/tools/clustalw.shtml)). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple sequence alignment are presented in Figure 1. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

### Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- $\kappa$ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- $\kappa$ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- $\kappa$ B-luciferase reporter plasmid (NF- $\kappa$ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 $\mu$ M, TCGTCGTTTTGTCGTTTTGTCGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 $\mu$ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- $\kappa$ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 $\mu$ M; TCCATGACGTTCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 $\mu$ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- $\kappa$ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- $\kappa$ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates ( $2 \times 10^6$  cells/plate) with 16  $\mu$ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- $\kappa$ B-luciferase activity after stimulation with  
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- $\kappa$ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

#### Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20  $3 \times 10^6$  293T cells were electroporated with 5  $\mu$ g NF- $\kappa$ B-luc plasmid and 5  $\mu$ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975  $\mu$ F. After the electroporation the cells were plated in 96-well cell culture plates at  $2.5 \times 10^4$  cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and  
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in **Figure 3**.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982  
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

### Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

### Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:  
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;  
generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

25

30



- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with  
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a  
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the  
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred  
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5           12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10           14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:  
15           contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;  
              measuring a signal in response to the contacting; and  
              identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20           17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25           18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30           20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCgTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- $\kappa$ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

# Figure 1 (1/3)

```

feline      MGPCHGALHPLSLLVQAAALAVALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
canine      MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPRFSAAA 60
bovine      MGP-YCAPHPLSLLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
mouse       MGP-YCAPHPLSLLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPHFSAGA 59
ovine       MGP-YCAPHPLSLLVQAAALAAALAEAGTLPAPFLPCELQPHGQVDCNWLFLKSVPRFSAGA 59
porcine     MGP-RCTLHPLSLLVQVTTALAAALAEAGRLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 59
horse       MGPCHGALQPLSLLVQAAAMLAVALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSAAA 60
human       MGFCRSALHPLSLLVQAIMLAMTLALGTLPAPFLPCELQPHGLVNCNWLFLKSVPHFSMAA 60
rat         MVLCRRTLHPLSLLVQAIVLAEALALGTLPAPFLPCELKPHGLVDCNWLFLKSVPHFSAAE 60
*           : :*****. ** : * * * .*****: : * * :*****: * * .

feline      PRGNVTSLSLYSNRIHHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFFCHMTIEPHTFL 120
canine      PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFFCHMTIEPNTFL 120
bovine      PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFFPCRMTIEPNTFL 119
mouse       PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFFPCRMTIEPNTFL 119
ovine       PRANVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFFPCRMTIEPNTFL 119
porcine     PRANVTSLSLISNRIHHLHDSDFVHLSSLRTNLKWNCPAGLSPMHFFCHMTIEPNTFL 119
horse       PRDNVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPAGLSPMHFFCHMTIEPNTFL 120
human       PRGNVTSLSLISNRIHHLHDSDFVHLNLRLVNLKWNCPVGLSPMHFFCHMTIEPSTFL 120
rat         PRSNITSLSLIANRIHHLHDLDFVHLNPNVRQLNLKWNCPPLSPLHFSCRMTIEPKTFL 120
*           ** :*****. :*****: * * : : : *****. :*****: * * :***** * *

feline      AVPTLEELNLSYNSITTPALPSSLVLSLSRTNIVLDPANLAGLHSLRFLFDGNCYY 180
canine      AVPTLEELNLSYNSITTPALPSSLVLSLSRTNIVLDPATLAGLYALRFLFDGNCYY 180
bovine      AVPTLEELNLSYNGITTPALPSSLVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCYY 179
mouse       AVPTLEELNLSYNGITTPALPSSLVLSLSHTSILVLGPTHFTGLHALRFLYMDGNCYY 179
ovine       AVPTLEELNLSYNGITTPALPSSLVLSLSRTSILVLGPTHFTGLHALRFLYMDGNCYY 179
porcine     AVPTLEELNLSYNSITTPALPSSLVLSLSRTNIVLDPHTLGLHALRYLYMDGNCYY 179
horse       AVPTLEELNLSYNGITTPALPSSLVLSLISRTNIVLQDPTSLTGLHALRFLYMDGNCYY 180
human       AVPTLEELNLSYNNIMTPALPKSLISLSHTNIVLMLDSASLAGLHALRFLYMDGNCYY 180
rat         AMRMLEELNLSYNGITTPRLPSSLTNLSHTNIVLVDASSLAGLHSLRFLYMDGNCYY 180
*           * :*****. * * * * * * * * * * * * * * : :***** :*****

feline      KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
canine      KNPCQALQVAPGALLGLGNLTHLSLKYNNTVVPRLPPSLEYLLSYNHIITLAPEDL 240
bovine      MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHIITLAPEDL 239
mouse       MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHIITLAPEDL 239
ovine       KNPCQAVEVAPGALLGLGNLTHLSLKYNNTVEPRRLPPSLDTLLSYNHIITLAPEDL 239
porcine     KNPCQGALEVVPGALLGLGNLTHLSLKYNNTVEPRSLPPSLETLLSYNHIITLAPEDL 239
horse       KNPCGRALEVAPGALLGLGNLTHLSLKYNNTTVPRLPPSLEYLLSYNHIITLAPEDL 240
human       KNPCQALEVAPGALLGLGNLTHLSLKYNNTVVPRLPPSLEYLLSYNRIIVKLAPEDL 240
rat         KNPCGAVNVTPDAFLGLSNLTHLSLKYNNTVEPRQLPPSLEYLLSYNLIIVKLGAEDL 240
*           *** : : * . * : * * . ***** * * * * * * * * : * * : * *

feline      ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSHLNHLEGLVLKDSSLYNLN 300
canine      ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPLHPDTFGLSHLEGLVLRDSSLYSLD 300
bovine      ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPLHPDTFSHLSRLEGLVLKDSSLYKLE 299
mouse       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPLHPDTFSHLSRLEGLVLKDSSLYKLE 299
ovine       ANLTALRVLDVGGNCRRCDHARNPCRECPKNFPLHPDTFSHLSRLEGLVLKDSSLYKLE 299
porcine     ANLTALRVLDVGGNCRRCDHARNPCRECPKDHPKLHSDTFSHLSRLEGLVLKDSSLYNLD 299
horse       ANLTALRVLDVGGNCRRCDHARNPCVECPKHPQLHSDTFSHLSRLEGLVLKDSSLYQLN 300
human       ANLTALRVLDVGGNCRRCDHARNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDSSLYSWLN 300
rat         ANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSSLYSLN 300
*           **** : * : ***** : * * * : * * : * * : * * : * * : * *

feline      PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHYHKKVSFAHLHLAPSF 360
canine      PRWFHGLGNLMVLDLSENFLYDCITKTKAFYGLARLRLNLSFNHYHKKVSFAHLHLASSF 360
bovine      KDWFRGLGRQLQVLDLSENFLYDITKTTIFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSF 359
mouse       KDWFRGLGRQLQVLDLSENFLYDITKTTIFNDLTQLRRLNLSFNHYHKKVSFAHLHLASSF 359
ovine       KDWFRGLGRQLQVLDLSENFLYDITKTTIFRNLTLRRLNLSFNHYHKKVSFAHLQLAPSF 359
porcine     TRWFRGLDRLQVLDLSENFLYDCITKTTAFQGLARLRLNLSFNHYHKKVSFAHLHLAPSF 359
horse       PRWFRGLGNLTVLDLSENFLYDCITKTKAFQGLAQLRRLNLSFNHYHKKVSFAHLTLAPSF 360
human       ASWFRGLGNLRLVLDLSENFLYDCITKTKAFQGLTQLRKLNLNLSFNHYQKRVSFARHLAPSF 360
rat         SKWFQGLANLSVLDLSENFLYESINKTSFQNLRLRLKLDLSFNHYCKKVSFARHLASSF 360
*           * : * . * *****. * * * . * : * * : * * : * * : * * : * *

```

[illegible]

Figure 1  
(3/3)

feline	SFFALATRLRELNLSANALKTVEPSWFGSLAGTLKVLDVTGNPLHCACGAAFVDFLLEVQ	778
canine	SFFALAVRLRELNLSANALKTVEPSWFGSLAGALKVLDVTANPLHCACGATFVDFLLEVQ	780
bovine	GFFVRATRLIELNLSANALKTVDPWSWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRLIELNLSANALKTVDPWSWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLSANALKTVDPFWFGRLTETLNILDVSNPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLSANALKTVEPSWFGSMVGNLKVLDVSNPLHCACGATFVGFLLEVQ	777
horse	GFFALATRLRELNLSANALRTEEPSWFGFLAGSLEVLDVSNPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLSANALKTVDHSWFGPLASALQILDVSNPLHCACGAAFMDFLLEVQ	778
rat	AFFALAVELKEVNLSHNILKTVDRSWFGPIVMNLTVLDVSSNPLHCACGAPFVDLLEVQ	779
	. ** * . * * : * * * * * : * * : * * * : . * : * * * : . * * * * * : . * * : * * :	
feline	AAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLTVALGLAVPMLHHL	838
canine	AAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSLLAVALSLAVPMLHQL	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHL	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHL	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFGLSLLMVALGLAVPMLHHL	836
porcine	AAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDETSLWNCFGISLLAMALGLVVPMLHHL	837
horse	AAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFGLSLLVVALGLAMPMLHHL	838
human	AAVPGLPSPVKCGSPGQLQGLSIFAQDLRLCLDEALSWDCFALSLLAVALGLGVPMHLHL	838
rat	TKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLLAVALGVTVPLQLHL	839
	****. * . **** * * * * * : * * * * * . * * * * * : * * * * * : * * * * * : * * * * * :	
feline	CGWDLWYCFHLCIAWLPRRGR--RGADALPYDAFVVFDAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCIAWLPRRGR--RGVDALAYDAFVVFDAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCIAHLPRRRQ--RGEDTLLYDAVVVFDKQSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCIAHLPRRRQ--RGEDTLLYDAVVVFDKQSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCIAHLPRRRQ--RGEDTLLYDAFVVFDAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCIAWLPHRGQR--RGADALFYDAFVVFDAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLCIAWLPRRGWQ--RGADALSYDAFVVFDAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCIAWLPRGRQSGRSEDALPYDAFVVFDAQSAVADWVYNELRGQLEEC	898
rat	CGWDLWYCFHLCIAWLPLLTRGR--RGAQALPYDAFVVFDAQSAVADWVYNELRVLEER	898
	****. * * * * * * * * * * . * . : * * * * * . * * * * * : * * * * * : * * * * * :	
feline	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQL	956
canine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQL	958
bovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQL	954
mouse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQL	954
ovine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQL	954
porcine	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQL	955
horse	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQL	956
human	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDRVSGLLRASFLLAQQL	958
rat	RGRRALRLCLEERDWPGLKTLFENLWASVYSSRKTLFVLAHTDKVSGLLRASFLLAQQL	958
	*** * * * * * : * * * * * : * * * * * : * * * * * : * * * * * : * * * * * :	
feline	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGMALTRDNR	1014
porcine	LEDKDVVVLVILRPDAYRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKDVVVLVILSPDGRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLSTALTRDNH	1018
	***** * . ***** : * * * * * * * * * * : * * * * * : * * * * * :	
feline	HFYNQNFRCRGPTTAE-----	1031
canine	HFYNQNFRCRGPTTAE-----	1032
bovine	HFYNRNFCRGPTTAE-----	1029
mouse	HFYNRNFCRGPTTAE-----	1032
ovine	HFYNRNFCRGPTTAE-----	1029
porcine	HFYNRNFCRGPTTAE-----	1030
horse	HFYNQNFRCRGPTMAE-----	1031
human	HFYNRNFCRGPTAE-----	1032
rat	HFYNRNFCRGPTAE-----	1032
	****. * * * * * :	

Figure 2





Figure 3



## SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH  
 University of Saskatchewan  
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479  
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1  
 <211> 1032  
 <212> PRT  
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140



Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
 515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
 565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
 580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser  
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser  
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
 1025 1030

<210> 2  
 <211> 821  
 <212> PRT  
 <213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe  
                   20                                  25                                  30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
                   35                                  40                                  45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn  
                   50                                  55                                  60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn  
                   65                                  70                                  75                                  80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp  
                                   85                                  90                                  95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met  
                                   100                                  105                                  110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu  
                   115                                  120                                  125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
                   130                                  135                                  140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
                   145                                  150                                  155                                  160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly  
                                   165                                  170                                  175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro  
                   180                                  185                                  190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
                   195                                  200                                  205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
                   210                                  215                                  220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu  
                   225                                  230                                  235                                  240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg  
                                   245                                  250                                  255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser  
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe  
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala  
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu  
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu  
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala  
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr  
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val  
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser  
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala  
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp  
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu  
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser  
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val  
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe  
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu  
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser  
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn  
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725	730	735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
740	745	750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
755	760	765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
770	775	780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
805	810	815
Arg Asp Cys Phe Gly		
820		

<210> 3  
 <211> 3099  
 <212> DNA  
 <213> Rattus norvegicus

<400> 3	
atgggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg	60
gctgaggctc tggccctggg taccctgcct gccttcctac cctgtgaact gaagcctcat	120
ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcaattctc tgccgcagaa	180
ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac	240
ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc	300
cctggcctca gcccttgca cttctcctgc cgcattgacca ttgagcccaa aaccttcctg	360
gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc	420
ctgcccagct cctgacgaa tctgagccta agccacacca acatcctggt actcgatgcc	480
agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac	540
aagaaccctt gcaacggggc ggtgaacgtg acccggacg ccttcctggg cttgagcaac	600
ctcaccactt tgtcccttaa gtataacaac ctacagagg tgccccgcca actgcccccc	660
agcctggagt acctcctgct gtcctataac ctcatcgta agctgggggc cgaagacct	720
gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac	780



gcccccgacc tctgtacaga atgccggcag aagtccttgc atctgcaccc tcagactttc	840
catcacctga gccaccttga aggcctggtg ctgaaggaca gttctctcca ctgcgtgaac	900
tccaagtggg tccaggggtc ggcgaaacct tcgggtgctgg acctaaagca gaactttctc	960
tacgagagca tcaacaaaac cagcgccttt cagaacctga ccggtctgcg caagctcgac	1020
ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc	1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttcgc cttactcaac	1140
aagaacacgc tcaggtgggt ggctgggtctg cccaagctcc acacgctgca ccttcaaatg	1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg	1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag	1320
gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccgac tctcccgagc	1380
actcccgctc caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg	1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag	1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgcg	1560
ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa	1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc	1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac	1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca	1800
gtggagtatc tggacttcag cggcaacggt gtggggccgca tgtgggacga ggaggacctt	1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag	1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt	1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccaatctg	2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt	2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc	2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact	2220
gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc	2280
aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgagacc	2340
aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc	2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt	2460
ggcctttcac tcctggctgt ggccgtgggc acgggtgttc ctttactgca gcatctctgc	2520
ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgaccogt	2580

ggccggcgca ggcaccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640  
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700  
 cgccgagccc tacgcttggtg tctggaggac cgagattggc tgccctggcca gaçactcttc 2760  
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820  
 gacaaggtea gtggcctcct ggcgaccagc ttctgtctgg ctcagcagcg cctgctggag 2880  
 gaccgcaagg acgtgggtgtg gttgggtgatc ctgcgccttg atgcccaccg ctcccgtac 2940  
 gtgcgactgc gccagcgctt ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000  
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060  
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

&lt;210&gt; 4

&lt;211&gt; 2463

&lt;212&gt; DNA

<213> *Rattus norvegicus*

&lt;400&gt; 4

atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagagga cgagtgctg 60  
 gctgaggttc tggccctggg tacctgcct gccttctac cctgtgaact gaagcctcat 120  
 ggctggttag actgcaactg gctcttcttg aagtctgtgc ctcaattctc tgccgcagaa 180  
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcattcacca cctgcacaac 240  
 ctgactttg tccacctgcc caacgtgca cagctgaacc tcaagtggaa ctgtccgccc 300  
 cctggcctca gccccttgca cttctctg cgcattgacca ttgagcccaa aaccttctg 360  
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420  
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480  
 agcagcctcg ctggcctgca cagcctgca gttctcttca tggacgggaa ctgctactac 540  
 aagaaccctt gcaacggggc ggtgaacctg accccggacg ccttctctggg cttgagcaac 600  
 ctacccact tgtcccttaa gtataacaac ctacagagg tgccccgca actgcccccc 660  
 agcctggagt acctcctgct gtactataac ctcatcgtca agctgggggc cgaagacctt 720  
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780  
 gccccgacc tctgtacaga atgccggcag aagtccttg atctgcaccc tcagactttc 840  
 catcacctga gccacctga aggcctgggt ctgaaggaca gttctctcca ctgctgaac 900  
 tccaagtgtt tccagggctt ggcgaacctc tcggtgctgg acctaaagga gaactttctc 960  
 tacgagagca tcaacaaaac cagcgctttt cagaacctga cccgtctgcg caagctcgac 1020

```

ctgtccttca attactgcaa gaaggtatcg ttgcgccgcc tccacctggc aagttccttc 1080
aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
aagaacacgc tcaggtggct ggctgggtctg cccaagctcc acacgctgca ccttcaaata 1200
aatttcatca accaggcgca gctcagcgtc tttagtagct tccgagccct tcgctttgtg 1260
gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccgagc tctcccgagc 1380
actcccgctc caaagaactt catggctcagg tgtaagaacc tcagattcac catggacctg 1440
tctcggaaca accagggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccc 1560
ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
gtggagtatc tggacttcag cggcaacggg gtggggcgca tgtgggacga ggaggacctt 1860
tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctc gcccaatctg 2040
cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaata 2100
ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
gtggatcgct cctggtttgg gccatttggt atgaacctga cggttctaga cgtgagcagc 2280
aacctctgc attgtgcctg cgggtgcacc tttgtagact tactgctgga agtgagacc 2340
aagggtcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
ggc 2463

```

```

<210> 5
<211> 1030
<212> PRT
<213> Sus scrofa

<400> 5

```

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15  
 Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30  
 Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45  
 Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60  
 Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80  
 Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110  
 Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125  
 Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140  
 Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160  
 His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175  
 Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190  
 Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205  
 Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220  
 Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255  
 Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270  
 Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285  
 Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300  
 Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320  
 Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335  
 Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350  
 Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365  
 Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380  
 Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400  
 Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415  
 Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430  
 Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445  
 Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460  
 Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705		710		715		720									
Ala	Leu	Ala	Lys	Gln	Leu	Glu	Glu	Leu	Asn	Leu	Ser	Ala	Asn	Ala	Leu
				725					730					735	
Lys	Thr	Val	Glu	Pro	Ser	Trp	Phe	Gly	Ser	Met	Val	Gly	Asn	Leu	Lys
			740					745					750		
Val	Leu	Asp	Val	Ser	Ala	Asn	Pro	Leu	His	Cys	Ala	Cys	Gly	Ala	Thr
		755					760					765			
Phe	Val	Gly	Phe	Leu	Leu	Glu	Val	Gln	Ala	Ala	Val	Pro	Gly	Leu	Pro
	770					775					780				
Ser	Arg	Val	Lys	Cys	Gly	Ser	Pro	Gly	Gln	Leu	Gln	Gly	His	Ser	Ile
785					790					795					800
Phe	Ala	Gln	Asp	Leu	Arg	Leu	Cys	Leu	Asp	Glu	Thr	Leu	Ser	Trp	Asn
				805					810					815	
Cys	Phe	Gly	Ile	Ser	Leu	Leu	Ala	Met	Ala	Leu	Gly	Leu	Val	Val	Pro
			820					825					830		
Met	Leu	His	His	Leu	Cys	Gly	Trp	Asp	Leu	Trp	Tyr	Cys	Phe	His	Leu
		835					840					845			
Cys	Leu	Ala	Trp	Leu	Pro	His	Arg	Gly	Gln	Arg	Arg	Gly	Ala	Asp	Ala
		850				855					860				
Leu	Phe	Tyr	Asp	Ala	Phe	Val	Val	Phe	Asp	Lys	Ala	Gln	Ser	Ala	Val
865					870					875					880
Ala	Asp	Trp	Val	Tyr	Asn	Glu	Leu	Arg	Val	Gln	Leu	Glu	Glu	Arg	Arg
				885					890					895	
Gly	Arg	Arg	Ala	Leu	Arg	Leu	Cys	Leu	Glu	Glu	Arg	Asp	Trp	Leu	Pro
			900					905					910		
Gly	Lys	Thr	Leu	Phe	Glu	Asn	Leu	Trp	Ala	Ser	Val	Tyr	Ser	Ser	Arg
		915					920					925			
Lys	Thr	Leu	Phe	Val	Leu	Ala	His	Thr	Asp	Arg	Val	Ser	Gly	Leu	Leu
		930				935					940				

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys  
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg  
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp  
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr  
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys  
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 6  
 <211> 819  
 <212> PRT  
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val  
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr  
 100 105 110



Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr  
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro  
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg  
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg  
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln  
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu  
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro  
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp  
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg  
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg  
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn  
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser  
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro  
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met  
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu  
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln  
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp  
 595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln  
 610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His  
 625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His  
 645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu  
 660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu  
 675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg  
 690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe  
 705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu  
 725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys  
 740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr  
 755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro  
 770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile  
 785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn  
 805 810 815

Cys Phe Gly

<210> 7  
 <211> 3352  
 <212> DNA  
 <213> Sus scrofa

<400> 7  
 gagcacgaac atccttcaact gtagctgctg cccggctctgc cagccagacc ctttggagaa 60  
 gaccccaactc cctgtcatgg gcccccgctg caccctgcac cccctttctc tcctggtgca 120  
 ggtgacagcg ctggctgcgg ctctggccca gggcaggctg cctgccttcc tgccctgtga 180  
 gctccagccc cacggcctgg tgaactgcaa ctggctcttc ctgaagtccg tgccccactt 240  
 ctcggcggca gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300  
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagtg 360  
 gaactgcccg ccggctggcc tcagccccat gcacttcccc tgccacatga ccatcgagcc 420  
 caacaccttc ctggccgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480  
 gaccgtgcct gccctgcccg actccctcgt gtccctgtcg ctgagccgca ccaacatcct 540  
 ggtgctagac cccaccacc tcactggcct acatgcctg cgctacctgt acatggatgg 600  
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccgg gtgccctcct 660  
 cggcctgggc aacctcacac atctctcaact caagtacaac aatctcacgg aggtgccccg 720  
 cagcctgccc cccagcctgg agaccctgct gttgtcctac aaccacattg tcaccctgac 780  
 gcctgaggac ctggccaatc tgactgcctt gcgcgtgctt gatgtggggg ggaactgccg 840  
 ccgctgtgac catgcccgca acccctgcag ggagtgccca aaggaccacc ccaagtgcga 900  
 ctctgacacc ttcagccacc tgagccgcct cgaaggcctg gtgttgaaag acagttctct 960  
 ctacaacctg gacaccaggt gggtccgagg cctggacagg ctccaagtgc tggacctgag 1020  
 tgagaacttc ctctacgact gcatacacia gaccacggcc ttccagggcc tggcccgact 1080  
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgccc acctgcacct 1140  
 ggcaccctcc tttgggcacc tccggtcctt gaaggagctg gacatgcatg gcatcttctt 1200  
 ccgctcgctc agtgagacca cgctccaacc tctgggtcaa ctgcctatgc tccagaccct 1260  
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccttgg 1320  
 cctgctgtac gtggacctat cggacaaccg catcagcgga gctgcaaggc cagtggccat 1380  
 tactagggag gtggatggta gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440  
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttggaacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc	1560
acgcctcgag tgcctgcgcc tgagccacaa cagcatctcc caggcgggtca atggctctca	1620
gtttgtgccg ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta	1680
tcacggggcgc tcgttcacgg agctgccgcg cctggaagca ctggacctca gctacaatag	1740
ccagcccttt accatgcagg gtgtggggcca caacctcagc ttcgtggccc agctgcccgc	1800
cctgcgctac ctcagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg	1860
tagcgctca ctgtgcgcc tggactttag cggcaacgat ctgagccgga tgtgggctga	1920
gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc	1980
ccagaaccac ctgcacaccc tccctgccag tgcctggac aacctccca aaagcctgaa	2040
gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct	2100
gccaagctg gaaaccctgg acttggctgg aaaccagctg aaggccctaa gcaatggcag	2160
cctgccatct ggcaccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt	2220
gaaccctggc ttctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc	2280
cctcaagaca gtggagccct cctggtttg ctcgatggtg ggcaacctga aagtcctaga	2340
cgtgagcgcc aacctctgc actgtgcctg tggggcgacc ttcgtgggct tcctgctgga	2400
ggtacaggct gccgtgcctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct	2460
ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg	2520
gaactgtttt ggcatctgc tgctggccat ggccctgggc ctggttgctgc ccatgctgca	2580
ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc	2640
ccgagggcag cggcgggggc cagacgccct gttctatgat gccttcgtgg tctttgacaa	2700
agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg	2760
ccgtggggcgc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac	2820
gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagaccctgt ttgtgctggc	2880
ccacacggac cgtgtcagcg gcctcttgcg tgccagttc ctgctggccc agcagcgct	2940
gctggaggac cgcaaggacg ttgtagtgt ggtgatcctg cgccccgatg cctaccgctc	3000
ccgctacgtg cggctgcgcc agcgccctctg ccgccagagt gtcctcctct gggccacca	3060
ggcccggtggg cagggcagct tctggggcca gctgggcaca gccctgacca gggacaacca	3120
ccattctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc	3180
agcccagttg cccagcccc cctggatttg cctctctgcc tgggggtgcc caacctgctt	3240
tgctcagcca caccactgct ctgctccctg ttccccaccc cccccccag cctggcatgt	3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352  
  
 <210> 8  
 <211> 2457  
 <212> DNA  
 <213> Sus scrofa  
  
 <400> 8  
 atggggcccc gctgcaccct gcaccccctt tctctcctgg tgcaggtgac agcgtggct 60  
 gcggtctctgg ccagggcag gctgcctgcc ttctgcccgt gtgagctcca gccccacggc 120  
 ctggtgaact gcaactggct ctctctgaag tccgtgcccc acttctcggc ggcagcgccc 180  
 cgggccaaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240  
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgccggct 300  
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac ctctctggcc 360  
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccttg 420  
 cccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tctgggtgct agaccccacc 480  
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540  
 aaccctgcc agggggcgct ggaggtggtg ccgggtgccc tctcggcct gggcaacctc 600  
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660  
 ctggagaccc tgcgtgtgct ctacaaccac attgtcacc tgacgcctga ggacctggcc 720  
 aatctgactg ccctgcgct gcttgatgtg ggggggaact gccgccgtg tgacctgccc 780  
 cgcaaccct gcagggagtg cccaaaggac caccccaagc tgcactctga caccttcagc 840  
 cacctgagcc gcctcgaagg cctgggtgtg aaagacagtt ctctctacaa cctggacacc 900  
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtggaga ctctctctac 960  
 gactgcatca ccaagaccac ggcttccag ggctggccc gactgcgcag cctcaacctg 1020  
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctctttggg 1080  
 cacctccgtt cctgaagga gctggacatg catggcatct tcttccgctc gctcagttag 1140  
 accacgtcc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200  
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260  
 ctatcggaca accgcatcag cggagctgca aggccagtgg ccattactag ggaggtggat 1320  
 ggtagggaga gggctctggct gccttccagg aacctcgtc cacgtccact ggacactctc 1380  
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440  
 aacaacctgg tgacaatcca gtcggagatg tttgctcgc totcacgcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcaatttgt gccgctgacc 1560  
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620  
 acggagctgc cgcgcctgga agcactggac ctcaactaca atagccagcc ctttaccatg 1680  
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740  
 ctggcgcaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcaactgtgc 1800  
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860  
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920  
 acctcctgc cactgcccct ggacaacctc cccaaaagcc tgaagcatct gcctctccgt 1980  
 gacaataacc tggccttctt caactggagc agcctgacct tcctgcccac gctggaaacc 2040  
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100  
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaacct tggcttcttt 2160  
 gccctggcca agcagttaga agagctcaac ctcaagccca atgccctcaa gacagtggag 2220  
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaacctt 2280  
 ctgcaactgtg cctgtggggc gaccttcgtg ggcttctgc tggaggtaca ggctgccgtg 2340  
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agctocaggg ccatagcatc 2400  
 tttgcgaag acctgcgcct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9  
 <211> 1029  
 <212> PRT  
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr



305		310		315		320
Asp Tyr Ile Thr	Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325		330		335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His		340		345		350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu		355		360		365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln		370		375		380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn		385		390		395
						400
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu		405		410		415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro		420		425		430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		435		440		445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		450		455		460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		465		470		475
						480
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		485		490		495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		500		505		510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		515		520		525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		530		535		540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala  
 865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg  
 930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
 965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
 980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala  
 995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
 1010 1015 1020

Gly Pro Thr Thr Ala Glu  
1025

<210> 10  
<211> 818  
<212> PRT  
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu  
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe  
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr  
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly  
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln  
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
                   660                                  665                                  670  
  
 Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
                   675                                  680                                  685  
  
 Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu  
                   690                                  695                                  700  
  
 Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val  
 705                                  710                                  715                                  720  
  
 Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
                                   725                                  730                                  735  
  
 Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile  
                   740                                  745                                  750  
  
 Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
                   755                                  760                                  765  
  
 Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg  
                   770                                  775                                  780  
  
 Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785                                  790                                  795                                  800  
  
 Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
                                   805                                  810                                  815  
  
 Phe Gly

<210> 11  
 <211> 3191  
 <212> DNA  
 <213> Bos taurus  
  
 <400> 11  
 gggaagtggg cgccaagcat ccttcctgac agctgcctcc caacctgccc gccagaccct 60  
 ctggagaagc cgcattccct gtcattgggc cctactgtgc cccgcacccc ctttctctcc 120  
 tgggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgcct gccttctctg 180  
 cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttcctg aagtctgtgc 240  
 cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctcctta atctccaacc 300

gcatccacca cttgcatgac totgacttcg tccacctgtc caacctgcgg gtcctcaacc	360
tcaagtggaa ctgcccgcg gccggcctca gcccacatgca ctccccctgc cgtatgacca	420
tcgagcccaa caccttcctg gctgtgcca cctggagga gctgaacctg agctacaacg	480
gcatcacgac cgtgcctgcc ctgccagtt ccctcgtgtc cctgtcgtg agccacacca	540
gcatcctggg gctaggcccc acccacttca cgggcctgca cgccctgcgc tttctgtaca	600
tggacggcaa ctgctactac atgaaccct gcccgcgggc cctggagggtg gcccaggcg	660
ccctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg	720
tgccccgcg cctgcccccc agcctggaca ccctgtgtc gtctacaac cacattgtca	780
ccctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga	840
actgccgcg ctgcgacct gcccgcaacc cctgcaggga gtgccccaaag aacttcccc	900
agctgcacc tgacaccttc agtcacctga gccgcctcga aggcctgggtg ttgaaggaca	960
gttctctcta caaactagag aaagattggg tccgcggcct gggcaggctc caagtgtcg	1020
acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga	1080
cccagctgcg cagactcaac ctgtccttca attaccacaa gaagggtgtc ttgcccacc	1140
tgcacctagc gtctccttt gggagtctgg tgtccctgga gaagctggac atgcacggca	1200
tcttcttcg ctccctcacc aacatcacgc tccagtcgtg gacccggtg cccaagctcc	1260
agagtctgca tctgcagctg aacttcatca accaggcca gctcagcatc tttgggcct	1320
tcccagacct gctcttcgtg gacctgtcg acaaccgat cagcggagcc gcgacgccag	1380
cggccgcct gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg	1440
ctccaggccc gctggacgcc gtcagctcaa aggacttcat gccaaagctgc aacctcaact	1500
tcaccttga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcc	1560
tctccgcct ccagtgcctg cgctgagcc acaacagcat ctgcaggcg gttaatggct	1620
cccagttcgt gccgctgacc agcctgcgag tgctcgacct gtcccacaac aagctggacc	1680
tgtacctagg gcgctcattc acggagctgc cgcagctgga ggcactggac ctgagctaca	1740
acagccagcc cttcagcatg caggcggtg gccacaacct cagcttcgtg gccagctgc	1800
cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgctg tcacagaagc	1860
tcagcagcg ctcgttgcg gccctggact tcagcggcaa ctccctgagc cagatgtggg	1920
ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc	1980
tgtccgagaa ccatctgcac accctcctgc ctgcgtacct ggacaacctg cccaagagcc	2040



tgcggcagct gcgctctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100  
 tcctgccccg gctggaagcc ctggatctgg caggaaacca gctgaaggcc ctgagcaacg 2160  
 gcagcctgcc gcctggcatc cggtccaga agctggacgt gagcagcaac agcatcggt 2220  
 tcgtgatccc cggttcttc gtccgcgca ctgggtgat agagcttaac ctgagcgcca 2280  
 atgccctgaa gacagtggat cctcctgggt tcggttctt agcagggacc ctgaaaatcc 2340  
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggctttgtg gacttctgc 2400  
 tggagagaca ggaggccgtg cccgggctgt ccaggcgct cacaatgtggc agtccggggc 2460  
 agctccaggc cgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520  
 ccttggaactg ctttggcctc tcaactgctaa tgggtggcgt gggcctggca gtgcccctgc 2580  
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640  
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700  
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760  
 agcgccgggg gcgccggggc ctccgcctct gcctggagga gcgagactgg ctccctggta 2820  
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880  
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag cttcctgctg gccagcagc 2940  
 gcctgttgga ggaccgcaag gacgtcgtag tgctgggtgat cctgcgcccc gccgcctatc 3000  
 ggtcccgtc cgtgcggctg cgccagcgcc tctgcgcga gagctcctc ctctggcccc 3060  
 accagcccag tggccagggt agtttctggg ccaacctggg catagccctg accagggaca 3120  
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180  
 tgactgcca g 3191

&lt;210&gt; 12

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Bos taurus

&lt;400&gt; 12

atgggcccct actgtgcccc gcacccctt tctctcctgg tgcaggcggc ggcactggca 60  
 ggggccctgg ccgagggcac cctgcctgcc ttcctgcct gtgagctcca gcccctggt 120  
 cagggtggact gcaactggct gtctctgaag tctgtgccgc acttttcggc tggagcccc 180  
 cgggccaatg tcaccagcct ctcttaata tccaaccgca tccaccactt gcatgactct 240  
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaaactg cccgccggcc 300  
 ggctcagcc ccatgcactt cccctgcctg atgaccatcg agcccaacac cttcctggct 360

gtgcccaccc	tggaggagct	gaacctgagc	tacaacggca	tcaagaccgt	gcctgccctg	420
cccagttccc	tcgtgtccct	gtcgctgagc	cacaccagca	tcctggtgct	aggccccacc	480
cacttcaccg	gcctgcacgc	cctgcgcttt	ctgtacatgg	acggcaactg	ctactacatg	540
aacccctgcc	cgcgggccct	ggagggtggc	ccaggcgccc	tcctcggcct	gggcaacctc	600
acgcacctgt	cgctcaagta	caacaacctc	acggagggtgc	cccgcgcgct	gccccccagc	660
ctggacaccc	tgctgctgtc	ctacaaccac	attgtcaccc	tggcacccga	ggacctggcc	720
aacctgactg	ccctgcgcgt	gcttgacgtg	ggtgggaact	gccgcgcgtg	cgaccatgcc	780
cgcaaccctt	gcagggagtg	cccaaagaac	ttccccaaagc	tgcacccctga	caccttcagt	840
cacctgagcc	gcctcgaagg	cctgggtgtg	aaggacagtt	ctctctacaa	actagagaaa	900
gattggttcc	gcggcctggg	caggctccaa	gtgctcgacc	tgagtgagaa	cttcctctat	960
gactacatca	ccaagaccac	catcttcaac	gacctgaccc	agctgcgcag	actcaacctg	1020
tccttcaatt	accacaagaa	ggtgtccttc	gcccacctgc	acctagcgtc	ctcctttggg	1080
agtctggtgt	ccctggagaa	gctggacatg	cacggcatct	tcttcgcgtc	cctcaccaac	1140
atcacgctcc	agtcgctgac	ccggctgccc	aagctccaga	gtctgcatct	gcagctgaac	1200
ttcatcaacc	aggcccagct	cagcatcttt	ggggccttcc	cgagcctgct	cttcgtggac	1260
ctgtcggaca	accgcatcag	cggagccgcg	acgccagcgg	ccgccctggg	ggagggtggac	1320
agcaggggtg	aagtctggcg	attgcccagg	ggcctcgctc	caggcccgtc	ggacgccgtc	1380
agctcaaagg	acttcatgcc	aagctgcaac	ctcaacttca	ccttggacct	gtcacggaac	1440
aacctggtga	caatccagca	agagatgttt	acccgcctct	cccgcctcca	gtgcctgcgc	1500
ctgagccaca	acagcatctc	gcaggcggtt	aatggctccc	agttcgtgcc	gctgaccagc	1560
ctgcgagtgc	tcgacctgtc	ccacaacaag	ctggacctgt	accatgggcg	ctcattcacg	1620
gagctgccgc	agctggaggc	actggacctc	agctacaaca	gccagccctt	cagcatgcag	1680
ggcgtggggc	acaacctcag	cttcgtggcc	cagctgccct	ccctgcgcta	cctcagcctt	1740
gcgcacaatg	gcatccacag	ccgcgtgtca	cagaagctca	gcagcgctc	gttgcgcgcc	1800
ctggacttca	gcggcaactc	cctgagccag	atgtggggcg	aggagacct	ctatctctgc	1860
tttttcaaag	gcttgaggaa	cctggtccag	ctggacctgt	ccgagaacca	tctgcacacc	1920
ctcctgcctc	gtcacctgga	caacctgccc	aagagcctgc	ggcagctgcg	tctccgggac	1980
aataacctgg	ccttcttcaa	ctggagcagc	ctgaccgtcc	tgccccggct	ggaagccctg	2040
gatctggcag	gaaaccagct	gaaggccctg	agcaacggca	gcctgccgcc	tggcatccgg	2100
ctccagaagc	tggacgtgag	cagcaacagc	atcggcttcg	tgatccccgg	cttcttcgtc	2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220  
 tcctgggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgtc 2280  
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340  
 gggctgtoca ggcgcgtcac atgtggcagt cggggccagc tccagggccg cagcatcttc 2400  
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13  
 <211> 1031  
 <212> PRT  
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro  
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe  
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp  
 850 855 860

Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865                                      870                                      875                                      880  
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
    885                                      890                                      895  
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
    900                                      905                                      910  
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
    915                                      920                                      925  
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu  
    930                                      935                                      940  
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
    945                                      950                                      955                                      960  
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser  
    965                                      970                                      975  
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe  
    980                                      985                                      990  
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
    995                                      1000                                      1005  
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe  
    1010                                      1015                                      1020  
 Cys Arg Gly Pro Thr Met Ala Glu  
    1025                                      1030  
  
 <210> 14  
 <211> 820  
 <212> PRT  
 <213> Equus caballus  
  
 <400> 14  
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln  
 1                                      5                                      10                                      15  
  
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe  
    20                                      25                                      30  
  
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270



Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu  
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly  
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu  
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu  
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu  
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe  
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln  
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu  
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 15  
 <211> 3391  
 <212> DNA  
 <213> Equus caballus

<400> 15  
 ctctgttctc tgagctgttg ccgctggaag ggactgagag cacaagcat cctcctctgc 60  
 agctgctgcc cagtgtgcca gctggaccct ctggatcatc tccactccc tgtcatgggc 120  
 ccttgccatg gtgccctgca gcccctgtct ctctgggtgc aggcggccat gctggccgtg 180  
 gctctggccc aaggcaccct gcctcccttc ctgccctgtg agctccagcc ccacggcctg 240  
 gtgaactgca actggctggt cctgaagtcc gtgccccact tctcagcagc agcaccgccg 300  
 gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac 360  
 tttgcccac tgtccaacct gcagaaactc aacctcaaat ggaactgccc gccagccggc 420  
 ctcagcccca tgcaactccc ctgccacatg accatcgagc ccaacacttt cctgggtgta 480  
 cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgccctgccc 540  
 agctccctcg tgtccctgat cctgagccgc accaacatcc tgcagctaga cccaccagc 600  
 ctcacggggc tgcattgccct gcgcttccta tacatggatg gcaactgcta ctacaagaac 660  
 ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc 720  
 cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg 780  
 gagtacctgc tgttgtcta caaccacatt gtcaccctgg cacctgagga cctggccaat 840  
 ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc 900  
 aacctctgcg tggagtgcac acataaatc cccagctgc actccgacac cttcagccac 960

ctaagccgcc tagaaggcct cgtggtgaag gatagttctc tctaccagct gaaccccaga	1020
tggttcctg gcctgggcaa cctcacagtg ctgcacctga gtgagaactt cctctacgac	1080
tgcatcacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgtcc	1140
ttcaattacc ataagaaggc gtccttcgcc cacctgacgc tggcacctc cttcgggagc	1200
ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag	1260
acgctccagc cactggcccg cctgcccattg ctccagcgtc tgtatctgca gatgaacttc	1320
atcaaccagg ccagctcgg catcttcaag gacttccctg gtctgcgcta catagacctg	1380
tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt	1440
gggaagaagg tctggctgac atccaggagc ctactccag gccactgga cacccccagc	1500
tctgaggact tcatgccaaag ctgcaagaac ctgagcttca ccttggacct gtcacggaac	1560
aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc	1620
ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc	1680
ctgcaggctg tggacctgct ccataacaaa ctggacctgt accatgggag ctcgtttacg	1740
gagctgcgc gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg	1800
ggtgtgggccc acaacctcag ctttgtggcc cagctgccc ccctgcgcta cctcagcctg	1860
gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtgggccc	1920
ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc	1980
ttcttccaag gcctgagaag cctaattcgg ctagacctgt ccagaaatcg tctgcatacc	2040
ctcctgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac	2100
aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg	2160
gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag	2220
ctccagaggc tggacgtcag caggaacagc atcatcttcg tggcccttg cttctttgct	2280
ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc	2340
tcctggtttg gtttcttagc aggtccctt gaagtccatg atgtgagcgc caacctctg	2400
cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct	2460
ggtctgccc gccgcgtcaa gtgtggcagt ccgggcccag tccagggccg cagcatcttc	2520
gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca	2580
ttgctggttg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac	2640
ctctggtact gcttccacct gggcctggcc tggtgcccc ggcgggggtg gcagcggggc	2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760  
 gactgggtgt acaatgaact gcgggtgcgg ctaggaggag gccgtgggag cggggcgctc 2820  
 cgcctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880  
 gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940  
 ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000  
 gttgtggtgc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060  
 cagegcctct gccgccagag tgtcctcttc tggccccacc agcctagtgg ccagcgcagc 3120  
 ttctgggccc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180  
 ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240  
 ccagccctga ccttgccctc ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300  
 tgetctgcct ccgccacct caccctggc atacagcagg cactcaataa atgccactgg 3360  
 caggccaaac agccaaaaaa aaaaaaaaaa a 3391

<210> 16  
 <211> 2460  
 <212> DNA  
 <213> Equus caballus

<400> 16  
 atggggcctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60  
 gccgtggctc tggcccaagg caccctgcct cccttcctgc cctgtgagct ccagccccac 120  
 ggccctggtga actgcaactg gctgttcctg aagtccgtgc cccacttctc agcagcagca 180  
 ccccgggaca atgtcaccag cctttccttg ctctccaacc gcatccacca cctccacgac 240  
 tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300  
 gccggcctca gcccctatgca cttccctgc cacatgacca tcgagcccaa cactttcctg 360  
 gctgtacca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420  
 ctgcccagct cctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480  
 accagcctca cgggcctgca tgccctgcgc ttcctataca tggatggcaa ctgctactac 540  
 aagaaccctt gcgggcgggc cctggaggtg gcccagcg ccctccttgg cctgggcaac 600  
 ctcaccacc tgctactcaa gtacaacaac ctcacaacgg tgccccgag cctgccccct 660  
 agcctggagt acctgctgtt gtccataaac cacattgtca ccctggcacc tgaggacctg 720  
 gccaatctga ctgccctgcg tgtgctcgat gtgggtggaa actgccgccc ctgtgaccat 780  
 gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900  
 cccagatggt tccgtggcct gggcaacctc acagtgcctg acctgagtga gaacttcctc 960  
 tacgactgca tcacaaaaac caaggcattc cagggcctgg cccagctgcg aagactcaac 1020  
 ttgtccttca attaccataa gaagggtgtc ttcgcccacc tgacgctggc accctccttc 1080  
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttcg ctcactcagc 1140  
 cagaagacgc tccagccact ggcccgcctg cccatgctcc agcgtctgta tctgcagatg 1200  
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctggtct gcgctacata 1260  
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320  
 gatggtggga agaaggtctg gctgacatcc agggacctca ctccaggccc actggacacc 1380  
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440  
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500  
 ctgcgcctga gccacaacag catctcgag gcggtcaatg gctcacagtt cgtgccactg 1560  
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620  
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680  
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccacct gcgctacctc 1740  
 agcctggcac acaatggcat ccacagcgt gtgtcccagc agctctgcag cacctcgtg 1800  
 tgggccctgg acttcagcgg caattccctg agccagatgt gggctgaggg agaccttat 1860  
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtocca gaatcgtctg 1920  
 cataccctcc tgccatgcac cctgggcaac ctccccaaga gcttgcagct gctgcgtctc 1980  
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040  
 accctggacc tggttgga aa ccagctgaag gctctgagca atggcagcct gccttctggc 2100  
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttcgtggt ccctggcttc 2160  
 tttgctctgg ccacgaggct gcgagagctc aacctcagtg ccaacgccct caggacagag 2220  
 gagccctcct ggtttggtt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340  
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtcgg gccagctcca gggccgcagc 2400  
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggt 2460

<210> 17  
 <211> 1029  
 <212> PRT  
 <213> Ovis aries

&lt;400&gt; 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr  
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn  
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu  
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr  
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn  
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly  
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn  
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu  
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala  
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg  
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro  
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu  
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg  
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr  
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg  
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
 450 455 460



Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
 705 710 715 720  
 Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
 725 730 735  
 Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
 740 745 750  
 Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
 755 760 765  
 Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
 770 775 780  
 Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
 785 790 795 800  
 Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
 805 810 815  
 Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met  
 820 825 830  
 Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys  
 835 840 845  
 Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu  
 850 855 860  
 Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala  
 865 870 875 880  
 Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly  
 885 890 895  
 Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly  
 900 905 910  
 Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys  
 915 920 925  
 Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930                      935                      940  
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp  
 945                      950                      955                      960  
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr  
                     965                      970                      975  
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro  
                     980                      985                      990  
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala  
                     995                      1000                      1005  
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg  
                     1010                      1015                      1020  
 Gly Pro Thr Thr Ala Glu  
                     1025  
  
 <210> 18  
 <211> 818  
 <212> PRT  
 <213> Ovis aries  
  
 <400> 18  
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala  
 1                      5                      10                      15  
  
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu  
                     20                      25                      30  
  
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe  
                     35                      40                      45  
  
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val  
                     50                      55                      60  
  
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser  
 65                      70                      75                      80  
  
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn  
                     85                      90                      95  
  
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His  
                   340                                  345                                  350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu  
                   355                                  360                                  365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg  
                   370                                  375                                  380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn  
                   385                                  390                                  395                                  400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu  
                                   405                                  410                                  415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro  
                                   420                                  425                                  430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp  
                   435                                  440                                  445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp  
                   450                                  455                                  460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn  
                   465                                  470                                  475                                  480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu  
                                   485                                  490                                  495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly  
                                   500                                  505                                  510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr  
                   515                                  520                                  525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln  
                   530                                  535                                  540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln  
                   545                                  550                                  555                                  560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg  
                                   565                                  570                                  575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys  
                   580                                  585                                  590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu  
                   595                                  600                                  605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly  
                   610                                  615                                  620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr  
                   625                                  630                                  635                                  640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu  
                                   645                                  650                                  655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr  
                   660                                  665                                  670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys  
                   675                                  680                                  685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu  
                   690                                  695                                  700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val  
                   705                                  710                                  715                                  720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys  
                                   725                                  730                                  735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile  
                   740                                  745                                  750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe  
                   755                                  760                                  765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg  
                   770                                  775                                  780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe  
                   785                                  790                                  795                                  800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys  
                                   805                                  810                                  815

Phe Gly

<210> 19  
 <211> 3199  
 <212> DNA  
 <213> *Ovis aries*

<400> 19  
 gtcgggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgcgcgcca acttgcccgc 60  
 cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct 120  
 ttctctcctg gtgcaggcgg cggcgctggc agcagccctg gccaggggca cctgcctgc 180  
 cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttcctgaa 240  
 gtctgtgccc cgcttttcgg cggagcccc cggggccaat gtcaccagcc tctccttaat 300  
 ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcgggt 360  
 cctcaacctc aagtggaaact gcccgcgggc cggcctcagc cccatgcact tcccctgccg 420  
 catgaccatc gagcccaaca ccttcctggc tgtgccacc ctggaggagc tgaacctgag 480  
 ctacaatggc atcacgaccg tgccctgcct gccagttct ctcgtatccc tgcgctgag 540  
 ccgcaccagc atcctggtgc taggccccac ccacttcacc ggccctgcacg cctgcgctt 600  
 tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggaggtggc 660  
 cccaggcgcc ctccttggcc tgggcaacct cagcacctg tcgctcaagt acaacaacct 720  
 cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca 780  
 catcatcacc ctggcaccgc aggaacctggc caatctgact gccctgcgtg tgcttgatgt 840  
 gggcggggaa tgccgcccgt gcgaccacgc ccgcaacccc tgcaaggagt gcccaaagaa 900  
 cttccccaag ctgcaccctg acaccttcag ccacctgagc cgcctcgaag gcctggtggt 960  
 gaaggacagt tctctctaca aactagagaa agactgggtc cgcggcctgg gcaggctcca 1020  
 agtgcctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag 1080  
 gaacctgacc cagctgcgca gactcaacct gtccttcaat taccacaaga aggtgtcctt 1140  
 cgcacacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat 1200  
 gcacggcatc ttcttcgct cctcaccaa caccacgctc cggccgctga ccagctgcc 1260  
 caagctccag agtctgagtc tgcagctgaa ctcatcaac caggccgagc tcagcatctt 1320  
 tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc 1380  
 gaggccggtg gccgccctcg gggaggtgga cagcggggtg gaagtctggc ggtggcccag 1440

gggcctcgct ccaggccccgc tggccgccgt cagcgcaaag gacttcatgc caagctgcaa	1500
cctcaacttc accttgacc tgtcacggaa caacctggtg acgatccagc aggagatggt	1560
tacccgcctc tcccgcctcc agtgccctgc cctgagccac aacagcatct cgcaggcggg	1620
taatggctcg cagttcgtgc cgctgacctg cctgcgagtg ctcgacctgt cctacaacaa	1680
gctggacctg taccatgggc gctcggtcac ggagctgccg cagctggagg cactggacct	1740
cagctacaac agccagccct tcagcatgca gggcggtgggc cacaacctca gcttcgtggc	1800
ccagctgccg tccttgccgt acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc	1860
acagaagctc agcagcgcct cgctgcgcgc cctggacttc agcggcaact ccctgagcca	1920
gatgtggggc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca	1980
gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc	2040
caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag	2100
cctgactgtt ctgccccagc tggaaagccct ggatctggcg ggaaaccagc tgaaggccct	2160
gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag	2220
catcggcttt gtgacctctg gcttctttgt ccttgccaac cggctgaaag agcttaacct	2280
cagcgccaac gccctgaaga cagtggatcc cttctggttc ggtcgcttaa cagagacct	2340
gaatatccta gacgtgagcg ccaaccgcct ccaactgtgc tgcggggcgg cctttgtgga	2400
cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag	2460
tccgggccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga	2520
gacctctctc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggg	2580
gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc	2640
ccatttgccc cgacggcggc ggacgcgggg cgaggacacc ctgctctacg atgccttcgt	2700
ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca	2760
gctggaggag cgccgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct	2820
ccctggcaag acgctcttcg agaacctgtg ggcctcggtc tacagcagcc gtaagaccat	2880
gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc	2940
ccagcagcgc ctggttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc	3000
cgcctaccgg tcccgtacg tgcggctgcg ccagcgcctc tgccgccaga gcgtcctcct	3060
ctggccccac cagcccagtg gccagggtag cttctggggc aacctgggca tggccctgac	3120
cagggacaac cgccacttct ataaccggaa cttctgcggg ggccccacga cagccgaata	3180



gcacagagtg actgcccag

3199

&lt;210&gt; 20

&lt;211&gt; 2454

&lt;212&gt; DNA

&lt;213&gt; Ovis aries

&lt;400&gt; 20

atggggccct actgtgcccc gcacccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttctgcctt gtgagctcca gcccgggggt	120
aagggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagcccc	180
cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgccggcc	300
ggcctcagcc ccatgcactt cccctgccgc atgaccatcg agcccaacac cttcctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg	420
cccagttctc tcgtatccct gtcgctgagc cgcaccagca tcctgggtgt agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aaccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgctcaagta caacaacctc acggaggtgc cccgccgctt gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccgga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgccgctg cgaccacgcc	780
cgcaaccctt gcagggagtg cccaaagaac ttccccaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactgggttc ggggcctggg caggctccaa gtgctcgacc tgagtgagaa cttcctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac	1140
accacgtccc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggccgagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggctcgcctc caggcccgct ggccgccgtc	1380
agcgaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt acccgctctt cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgaccgcg 1560  
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620  
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680  
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccctgcgcta cctcagcctt 1740  
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800  
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860  
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920  
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980  
 aataacctgg ctttcttcaa ctggagcagc ctgactgttc tgcccagct ggaagccctg 2040  
 gatctggcgg gaaaccagct gaaggccctg agcaacggca gcctgccacc tggcaccgcg 2100  
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgacccttg cttctttgtc 2160  
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg ccctgaagac agtggatccc 2220  
 ttctggttcg gtcgcttaac agagaccctg aatatcctag acgtgagcgc caaccgcctc 2280  
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340  
 gggctgtcca ggcgcgtcac gtgtggcagt ccggggcagc tccagggcg cagcatcttc 2400  
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21

<211> 1032

<212> PRT

<213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

545		550		555		560
Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu						
	565			570		575
Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg						
	580			585		590
Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser						
	595			600		605
Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg						
	610			615		620
Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn						
	625			630		635
						640
Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser						
	645			650		655
Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp						
	660			665		670
Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly						
	675			680		685
Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln						
	690			695		700
Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro						
	705			710		715
						720
Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala						
	725			730		735
Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly						
	740			745		750
Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys						
	755			760		765
Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro						
	770			775		780

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
 785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
 805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu  
 820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys  
 835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly  
 850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
 865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu  
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
 1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala  
1025 1030

<210> 22  
<211> 822  
<212> PRT  
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu  
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe  
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu  
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu  
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu  
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu  
 420 425 430



Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val  
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly  
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp  
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg  
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln  
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu  
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr  
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro  
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu  
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg  
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser  
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg  
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn  
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser  
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660                      665                      670  
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly  
       675                      680                      685  
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln  
       690                      695                      700  
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro  
       705                      710                      715                      720  
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala  
               725                      730                      735  
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly  
               740                      745                      750  
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys  
               755                      760                      765  
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro  
       770                      775                      780  
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly  
       785                      790                      795                      800  
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu  
               805                      810                      815  
 Ser Trp Val Cys Phe Ser  
               820

<210> 23  
 <211> 3334  
 <212> DNA  
 <213> Canis familiaris

<400> 23  
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgccagc ctgccagcca 60  
 gaccctctgg agaagcccc gctccctgtc atggggccct gccgtggcgc cctgcacccc 120  
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180  
 gccttctctgc cctgtgagct ccagcccat ggctgtga actgcaactg gctgttcttc 240  
 aagtcctgtc cccgcttctc ggcagctgca cccgcggta acgtcaccag cctttccttg 300

tactccaacc	gcatccacca	cctccatgac	tatgactttg	tccacttctg	ccacctgcgg	360
cgtctcaatc	tcaagtggaa	ctgcccgcgc	gccagcctca	gccccatgca	ctttccctgt	420
cacatgacca	ttgagcccaa	caccttcctg	gctgtgcca	ccctagagga	cctgaatctg	480
agctataaca	gcatcacgac	tgtgcccgc	ctgcccagtt	cgcttgtgtc	cctgtccctg	540
agccgcacca	acatcctggg	gctggaccct	gccaccctgg	caggccttta	tgccctgcgc	600
ttcctgttcc	tggatggcaa	ctgctactac	aagaaccctc	gccagcaggc	cctgcagggtg	660
gccccagggtg	ccctcctggg	cctgggcaac	ctcacacacc	tgtcactcaa	gtacaacaac	720
ctcaccgtgg	tgccgcgggg	cctgcccccc	agcctggagt	acctgctctt	gtcctacaac	780
cacatcatca	ccctggcacc	tgaggacctg	gccaatctga	ctgccctgcg	tgtcctcgat	840
gtgggtggga	actgtcgccg	ctgtgaccat	gcccgttaacc	cctgcaggga	gtgccccaa	900
ggcttcccc	agctgcaccc	caacaccttc	ggccacctga	gccacctcga	aggcctgggtg	960
ttgagggaca	gctctctcta	cagcctggac	cccagggtgt	tccatggcct	gggcaacctc	1020
atggtgctgg	acctgagtga	gaacttcctg	tatgactgca	tcaccaaacc	caaagccttc	1080
tacggcctgg	cccggtgcg	cagactcaac	ctgtccttca	attatcataa	gaagggtgtc	1140
tttggccacc	tgcactctgg	atcctccttc	gggagcctac	tgtccctgca	ggagctggac	1200
atacatggca	tcttcttccg	ctcgctcagc	aagaccagc	tccagtcgct	ggcccacctg	1260
cccatgctcc	agcgtctgca	tctgcagttg	aactttatca	gccaggccca	gctcagcatc	1320
ttcggcgcct	tccctggact	gcggtagctg	gacttgtcag	acaaccgcat	cagtggagct	1380
gcagagcccg	cggctgccac	aggggaggta	gaggcagact	gtggggagag	agtctggcca	1440
cagtcccggg	accttgtctc	gggcccactg	ggcaccctcg	gctcagaggc	cttcatgccg	1500
agctgcagga	ccctcaactt	caccttggac	ctgtctcgga	acaacctagt	gactgttcag	1560
ccggagatgt	ttgtccggct	ggcgcgctc	cagtgcctgg	gcctgagcca	caacagcatc	1620
tgcgaggcgg	tcaatggctc	gcagttcgtg	cctctgagca	acctgcgggt	gctggacctg	1680
tcccataaca	agctggacct	gtaccacggg	cgctcgttca	cggagctgcc	gcggctggag	1740
gccttggacc	tcagctacaa	cagccagccc	ttcagcatgc	ggggcggtgg	ccacaatctc	1800
agctttgtgg	cacagctgcc	agccctgcgc	tacctcagcc	tggcgacaaa	tggcatccac	1860
agccgcgtgt	cccagcagct	cgcagcgcc	tcgctccggg	ccctggactt	cagtggcaat	1920
accctgagcc	agatgtgggc	cgaggagac	ctctatctcc	gcttcttcca	aggcctgaga	1980
agcctggttc	agctggacct	gtcccagaat	cgcctgcata	ccctcctgcc	acgcaacctg	2040
gacaacctcc	ccaagagcct	gcggctcctg	cggtccgtg	acaattacct	ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag	2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcaccc agctccagag gctggacctc	2220
agcggcaaca gcatcggtt cgtgggtccc agcttttttg ccctggccgt gaggttcga	2280
gagctcaacc tcagcgccaa cgccctcaag acggtggagc cctcctgggt tggttccctg	2340
gcgggtgccc tgaaagtcc agacgtgacc gccaaccctc tgcattgcgc ttgcggcgca	2400
accttcgtgg acttcttgct ggaggtgcag gctgcgggtgc ccggcctgcc tagccgtgtc	2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc	2520
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgtgctggc tgtggccctg	2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac	2640
ctgtgcctgg cctggctgcc ccggcggggg cgccggcggg gtgtggatgc cctggcctat	2700
gacgccttcg tggctctcga caaggcgag agctcgggtg cggactgggt gtacaatgag	2760
ctgcgggtac agctagagga gcgcgtggg cgccggcggc tacgctgtg tctggaggaa	2820
cgtgactggg taccggcaa aacctcttc gagaacctct gggcctcagt ttacagcagc	2880
cgcaagacgc tgtttgtgct ggcccgcacg gacagagtca gcggcctcct gcgtgccagc	2940
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc	3000
ctgtgccccg acgcccaccg ctcccgctat gtgcggctgc gccagcgctt ctgccgccag	3060
agtgtcctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc	3120
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgccg gggccccacg	3180
acagcctgat aggcagacag ccagcacct tcgcgcctt acacctgcc tgtctgtctg	3240
ggatgccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agccctggca	3300
taaagcgacc gctcaataaa tgctgctggg agac	3334

&lt;210&gt; 24

&lt;211&gt; 2466

&lt;212&gt; DNA

&lt;213&gt; Canis familiaris

&lt;400&gt; 24

atgggcccct gccgtggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta	60
gccctggccc tggcccaggg caccctgcct gccttcctgc cctgtgagct ccagccccat	120
ggcctgggtga actgcaactg gctgttcttc aagtcctgac ccgcttctc ggcagctgca	180
ccccgcggta acgtcaccag cctttccttg tactccaacc gcatccacca cctccatgac	240
tatgactttg tccacttcgt ccacctgcgg cgtctcaatc tcaagtggaa ctgcccgcgc	300

gccagcctca gcccacatgca ctttccctgt cacatgacca ttgagcccaa caccttctctg 360  
gctgtgccca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccggcc 420  
ctgcccagtt cgcttgtgtc cctgtccctg agccgcacca acatcctggt gctggacccct 480  
gccaccctgg caggccttta tgccctgcgc ttctgttcc tggatggcaa ctgctactac 540  
aagaaccctt gccagcaggc cctgcagggtg gcccagggtg ccctcctggg cctgggcaac 600  
ctcacacacc tgtcactcaa gtacaacaac ctacacgtgg tgccgcgggg cctgcccccc 660  
agcctggagt acctgctctt gtcctacaac cacatcatca ccctggcacc tgaggacctg 720  
gccaatctga ctgcccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgacctat 780  
gcccgttaacc cctgcaggga gtgcccgaag ggcttcccc agctgcaccc caacaccttc 840  
ggccacctga gccacctga aggcctgggtg ttgagggaca gctctctcta cagcctggac 900  
cccagggtgt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttctctg 960  
tatgactgca tcacaaaaac caaagccttc tacggcctgg ccgggtgcg cagactcaac 1020  
ctgtccttca attatcataa gaagggtgtc tttgccacc tgcactctggc atcctccttc 1080  
gggagcctac tgtccctgca ggagctggac atacatggca tcttcttccg ctgctcagc 1140  
aagaccacgc tccagtcgct ggcccacctg cccatgctcc agcgtctgca tctgcagttg 1200  
aactttatca gccaggccca gctcagcatc ttcgggcctt tccctggact gcggtacgtg 1260  
gacttgtcag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggtta 1320  
gaggcagact gtggggagag agtctggcca cagtcccggt accttgcctt gggccactg 1380  
ggcaccctcg gctcagaggc cttcatgccc agctgcagga ccctcaactt caccttggac 1440  
ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggt ggcgcgcctc 1500  
cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560  
cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620  
cgctcgttca cggagctgcc ggggctggag gccttggacc tcagctacaa cagccagccc 1680  
ttcagcatgc ggggcgtggg ccacaatctc agctttgtgg cacagctgcc agccctgcgc 1740  
tacctcagcc tggcgcacaa tggcatccac agccgcgtgt ccagcagct ccgcagcgcc 1800  
tcgctccggg ccctggactt cagtggcaat accctgagcc agatgtgggc cgaggagac 1860  
ctctatctcc gcttcttcca aggcctgaga agcctgggtc agctggacct gtcccagaat 1920  
cgctgcata ccctcctgcc acgcaacctg gacaacctcc ccaagagcct gcggctcctg 1980  
cggtccgtg acaattacct ggctttcttc aactggagca gcctggccct cctacccaag 2040

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100  
 aacggcacccc agctccagag gctggacctc agcggcaaca gcatcggctt cgtggtcccc 2160  
 agcttttttg ccctggccgt gaggttcga gagctcaacc tcagcgccaa cgccctcaag 2220  
 acggtggagc cctcctggtt tggttccctg gcgggtgccc tgaaagtcct agacgtgacc 2280  
 gccaacccct tgcattgcgc ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340  
 gctgcggtgc ccggcctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400  
 cgcagcatct tcgcacagga cctgcgcctc tgcttggacg aagcgtcttc ctgggtctgt 2460  
 ttcagc 2466

<210> 25  
 <211> 1031  
 <212> PRT  
 <213> Felis catus

<400> 25

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe



- 74 -

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly Ala Asp  
 850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala  
 865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg  
 885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu  
 900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser  
 915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu  
 930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg  
 945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser  
 965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu  
 980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly  
 995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe  
 1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu  
 1025 1030

<210> 26  
 <211> 820  
 <212> PRT  
 <213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met  
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser  
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro  
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe  
 260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe  
 290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu  
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala  
 340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu  
 370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu  
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu  
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu  
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser  
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser  
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val  
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu  
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu  
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser  
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala  
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser  
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
 610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu  
 625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg  
 645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser  
 660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln  
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln  
 690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe  
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu  
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala  
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Gly  
 820

<210> 27  
 <211> 3235  
 <212> DNA  
 <213> Felis catus

<400> 27  
 agggctctgcg agctccaggc attcttctct gccatcgctg ccagttctgc catccagacc 60  
 ctctggagaa gccccactc cctgtcatgg gccctgcca tggcgccctg caccctgtgt 120  
 ctctcctggt gcaggctgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct 180  
 ttctgccctg tgagctccag cgccacggcc tggatgaattg cgactggctg ttctcaagt 240  
 ccgtgccccca cttctcggcg gcagcgcccc gtggtaacgt caccagcctt tcctgtact 300  
 ccaaccgcat ccaccacctc cagactccg actttgtcca cctgtccagc ctgcggcgctc 360  
 tcaacctcaa atggaactgc ccaccgcca gctcagccc catgcacttc ccctgtcaca 420  
 tgaccattga gccccacacc ttctggccg tgcccaccct ggaggagctg aacctgagct 480  
 acaacagcat cagcacagta cccgccctgc ccagttccct cgtgtccctg tccttgagcc 540  
 gtaccaacat cctggtgctg gaccctgcca acctcgagg gctgcactcc ctgcgctttc 600  
 tgttcttgga tggcaactgc tactacaaga acccctgccc gcaggccctg cagggtggccc 660  
 cgggagccct ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720  
 ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcataccctt	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaacccctg	tatggagtgc	cccaagggct	900
tcccgcacct	gcaccctgac	accttcagcc	acctgaacca	cctcgaaggc	ctggtgttga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccttgggc	aacctcatgg	1020
tgtctggacct	gagtgagaac	ttcctatatg	actgcatcac	caaaaccaca	gccttccagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgca	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgtgtgtc	cacctgcccc	1260
tgtctcagag	tctgcacctg	cagatgaact	tcataatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgtcagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	gggcccaccg	ggcacccta	gctccgaggg	cttcatgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgccgggct	ctcgcgcctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgtgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggtctggg	gccttggacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgtggg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccttgcgc	tatctcagcc	tggcgcacaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgttcgggg	ccttggactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttccg	aggcctgagg	agcctggtcc	1980
ggttggatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcaccctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgcct	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgccaa	cgccctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaagtcct	agatgtgact	ggcaaccccc	tgcaactgcg	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgcctc	tgcttgatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggccg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttccac ctgtgcctgg 2640  
 cctggctgcc cggcgggggg cggcgggcggg gcgcggatgc cctgccctac gatgcctttg 2700  
 tggctcttoga caaggcacag agcgcgggtg cgcactgggt gtacaacgag ctgcgggtac 2760  
 ggctagagga gcgccgtgga cgcgcagcgc tccgcctgtg cctggaggaa cgtgactggc 2820  
 taccgcgtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880  
 tgtttgtgct ggcccacaca gacaggggtca gggcctctt gcgcgccagc tttctgctgg 2940  
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctgggtgatc ctgcgccccg 3000  
 acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgcgcagc agcgtcctcc 3060  
 tctggcccga ccagcccagt ggccagcgc gcttctgggc ccagctgggc acggccctga 3120  
 ccagggaaca ccagcacttc tataaccaga acttctgcgc gggccccacg acggcagagt 3180  
 gaccgcccag caccccaagc ctccctacacc ttgcctgtct gcctgggatg ccggg 3235

<210> 28  
 <211> 2460  
 <212> DNA  
 <213> Felis catus

<400> 28  
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgtg 60  
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120  
 ggcctgggtga attgcgactg gctgttcttc aagtccgtgc cccaattctc ggcggcagcg 180  
 ccccgctggta acgtcaccag cctttccctg tactccaacc gcatccacca cctccacgac 240  
 tccgactttg tccacctgtc cagcctgcgc cgtctcaacc tcaaattgaa ctgcccaccc 300  
 gccagcctca gcccctatgca ctcccccctgt cacatgacca ttgagcccca caccttccctg 360  
 gccgtgcccga ccctggagga gctgaacctg agctacaaca gcatcacgac agtaccgcgc 420  
 ctgcccagtt ccctcggtgc cctgtccttg agcgcgtacca acatcctggg gctggaccct 480  
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgctactac 540  
 aagaaccctt gccgcaggc cctgcagggt gccccggggc ccctccttgg cctgggcaac 600  
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgc tgccccggg cctgcccccc 660  
 agcctggagt acctgctatt gtcctacaac cacatcatca ccctggcacc tgaggacctg 720  
 gccaacctga ccgcctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780  
 gcccgaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840  
 agccacctga accacctga aggcctgggt ttgaaggaca gctctctcta caacctgaac 900



```

cccagatggt tccatgccct gggcaacctc atgggtgctgg acctgagtga gaacttccta      960
tatgactgca tcaccaaac cacagccttc cagggcctgg cccagctgcg cagactcaac      1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc      1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcgg ctcgctcagc      1140
gagaccacgc tccggtcgct ggtccacctg cccatgctcc agagtctgca cctgcagatg      1200
aacttcacat atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg      1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggctgccac gggggaggtg      1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc      1380
cctagctccg agggcttcat gccaggctgc aagacctca acttcacctt ggacctgtca      1440
cggaacaacc tagtgacaat ccagccagag atgtttgccc ggctctcgcg cctccagtgc      1500
ctgctcctga gccgcaacag catctcgagc gcagtcaacg gctcacaatt tatgccgctg      1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct      1620
ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc      1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc      1740
agcctggcgc acaacgacat ccacagccgt gtgtcccagc agctctgcag cgcctcgctg      1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat      1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg      1920
catacctct tgcacgcac cctggacaac ctcccaaga gcctgcggct gctgcgtctc      1980
cgtgacaatt atctggcttt cttcaactgg agcagcctgg tcctcctccc caggctggaa      2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga      2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt      2160
tttgctctgg ccaccaggct gcgagagctc aacctcagtg ccaacgccct caagacgggtg      2220
gagccctcct ggttcggttc tctagcgggc acctgaaag tcctagatgt gactggcaac      2280
cccctgcact gcgcctgtgg ggcggccttc gtggacttct tgctggaggt gcaggctgca      2340
gtgcccgggc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc      2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc      2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

&lt;400&gt; 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225		230		235		240
Ala Asn Leu Thr	Ser Leu Arg Val Leu Asp	Val Gly Gly Asn Cys Arg				
	245	250	255			
Arg Cys Asp His	Ala Pro Asn Pro Cys Ile Glu Cys Gly	Gln Lys Ser				
	260	265	270			
Leu His Leu His	Pro Glu Thr Phe His His Leu Ser His	Leu Glu Gly				
	275	280	285			
Leu Val Leu Lys Asp	Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe					
	290	295	300			
Gln Gly Leu Val Asn	Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu					
305	310	315	320			
Tyr Glu Ser Ile	Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu					
	325	330	335			
Arg Lys Leu Asn	Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala					
	340	345	350			
Arg Leu His Leu	Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu					
	355	360	365			
Leu Asn Met Asn	Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu					
	370	375	380			
Arg Trp Leu Ala Asp	Leu Pro Lys Leu His Thr Leu His Leu Gln Met					
385	390	395	400			
Asn Phe Ile Asn	Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala					
	405	410	415			
Leu Arg Phe Val	Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr					
	420	425	430			
Leu Ser Glu Ala Thr	Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu					
	435	440	445			
Leu Leu Ser Ala Asp	Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser					
	450	455	460			

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu  
 465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu  
 485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala  
 500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp  
 515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu  
 530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe  
 545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser  
 565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
 580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
 595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
 610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
 625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
 645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
 660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
 675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
 690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val  
820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe  
835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser  
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln  
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu  
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp  
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr  
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His  
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln  
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln  
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu  
1025 1030

<210> 30  
<211> 821  
<212> PRT  
<213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn  
50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn  
65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met  
100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu  
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser  
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala  
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly  
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro  
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr  
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser  
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe  
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575



Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val  
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly  
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe  
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn  
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu  
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr  
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn  
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu  
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala  
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn  
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn  
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly  
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly  
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg  
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser  
805 810 815

Trp Asp Cys Phe Gly  
820

<210> 31  
<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

tgtcagaggg agcctcggga gaatcctcca tctcccaaca tggttctccg tgaaggact	60
ctgcacccct tgtccctcct ggtacaggct gcagtgtctg ctgagactct ggccctgggt	120
accctgcctg ccttctacc ctgtgagctg aagcctcatg gcctgggtga ctgcaattgg	180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcaccgcg	240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc	300
aacctgcggc agctgaacct caagtggaac tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgaccat tgagcccaga accttctctg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcg cctcctgggc ctgagcaatc tcacccatct gtctctgaag	660
tataacaacc tcacaaaggt gccccgcaa ctgccccca gcctggagta cctcctgggt	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga	780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcaccct gagaccttc atcacctgag ccactctggaa	900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgtccttcaa ttaccgcaag	1080
aaggtatcct ttgccgcct ccacctggca agttccttca agaacctgggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttccgc tcgctcaaca agtacacgct cagatggctg	1200
gccgatctgc ccaaactcca cactctgcat cttcaaata acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc	1320
agtgggcctt caacgctgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcgatcc tcaccagct ccactgagca ccctgcttc taagaacttc	1440

atggacaggt gtaagaactt caagttcacc atggacctgt ctoggaacaa cctggtgact	1500
atcaagccag agatgtttgt caatctctca cgcctccagt gtcttagcct gagccacaac	1560
tccattgcac aggctgtcaa tggctctcag ttcttgccgc tgactaatct gcaggtgctg	1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag	1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac	1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac	1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc	1860
ggcaacggta tgggccgcat gtgggatgag gggggccttt atctccattt cttccaaggc	1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatactct ccggccccag	1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct	2040
ttctttaact ggaccagtct gtccttctctg cccaacctgg aagtcctaga cctggcaggc	2100
aaccagctaa aggccctgac caatggcacc ctgcctaata gcaacctcct ccagaaactg	2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct ggcggtcgag	2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg	2280
cccattgtga tgaacctgac agttctagac gtgagaagca acctctgca ctgtgcctgt	2340
ggggcagcct tcgtagactt actgttgag gtgcagacca aggtgcctgg cctggctaata	2400
ggtgtgaagt gtggcagccc cggccagctg cagggccgta gcatcttcgc acaggacctg	2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg	2520
gccgtgggca tgggtggtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt	2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct	2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg	2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt	2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc	2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg	2880
cgcaccagct tcctgctggc tcagcagcgc ctggttgaag accgcaagga cgtggtggtg	2940
ttggtgatcc tgcgtccgga tgcccaccgc tcccgtatg tgcgactgcg ccagcgtctc	3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggccc	3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg	3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggt	3180
tcccagattg ctctgcctgc	3200

<210> 32  
 <211> 2463  
 <212> DNA  
 <213> Mus musculus

<400> 32  
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagagga tgcagtgtctg 60  
 gctgagactc tggccctggg taccctgcct gccttccctac cctgtgagct gaagcctcat 120  
 ggctgtgtgg actgcaattg gctgttctctg aagtctgtac cccgtttctc tgcggcagca 180  
 tcctgtctca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240  
 tccgacttcg tccacctgtc caacctgagg cagctgaacc tcaagtggaa ctgtccaccc 300  
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctctg 360  
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420  
 ctgcccagct ccctgggtgaa tctgagcctg agccacacca acatccctgg tctagatgct 480  
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgtactact 540  
 aagaacccct gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600  
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660  
 agcctggagt acctcctggg gtcctataac ctcatgtgca agctggggcc tgaagacctg 720  
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780  
 gcccccaatc cctgtataga atgtggccaa aagtccctcc acctgcaccc tgagaccttc 840  
 catcacctga gccatctgga aggcctgggtg ctgaaggaca gctctctcca tacactgaac 900  
 tcttctctgg tccaaggtct ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960  
 tatgaaagca tcaaccacac caatgccttt cagaacctaa cccgcctgag caagctcaac 1020  
 ctgtccttca attaccgcaa gaaggatatc ttgcccgc tccacctggc aagttccttc 1080  
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140  
 aagtacagc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaagt 1200  
 aacttcatca accaggcaca gctcagcatc ttgggtacct tccgagccct tcgctttgtg 1260  
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320  
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccagc tccactgagc 1380  
 accctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440  
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500  
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccc 1560

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620  
 tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680  
 agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740  
 cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800  
 gtgaggtttc ttgacttcag cggcaacggt atgggccgca tgtgggatga ggggggcctt 1860  
 tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920  
 ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980  
 ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttctt gcccaacctg 2040  
 gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaata 2100  
 ggcaccctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160  
 ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220  
 gtggatcgct cctgggtttg gccattgtg atgaacctga cagttctaga cgtgagaagc 2280  
 aacctctgc actgtgcctg tggggcagcc ttcgtagact tactgttggg ggtgcagacc 2340  
 aaggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400  
 agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460  
 ggc 2463

<210> 33  
 <211> 1032  
 <212> PRT  
 <213> Homo sapiens

<400> 33

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
 65 70 75 80

- 95 -

305		310		315		320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325		330		335	
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340		345		350	
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355		360		365	
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370		375		380	
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385		390		395	400
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405		410		415	
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420		425		430	
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu	435		440		445	
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu	450		455		460	
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465		470		475	480
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485		490		495	
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500		505		510	
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515		520		525	
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530		535		540	

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly  
545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr  
565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser  
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn  
595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe  
610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu  
625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln  
645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780



Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
 805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val  
 820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His  
 835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp  
 850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln  
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu  
 885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp  
 900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr  
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser  
 930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu  
 945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg  
 965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val  
 980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln  
 995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg  
 1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu  
1025 1030

<210> 34  
<211> 820  
<212> PRT  
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln  
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe  
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu  
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn  
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp  
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp  
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met  
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu  
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser  
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser  
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly  
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro  
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr  
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr  
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu  
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg  
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe  
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly  
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe  
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu  
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu  
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala  
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu  
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu  
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met  
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly  
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu		
435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu		
450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser		
465	470	475
480		
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser		
485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val		
500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu		
515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu		
530	535	540
Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly		
545	550	555
560		
Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr		
565	570	575
Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser		
580	585	590
Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn		
595	600	605
Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe		
610	615	620
Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635
640		
His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln		
645	650	655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser  
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg  
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg  
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe  
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala  
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu  
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala  
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu  
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser  
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp  
805 810 815

Asp Cys Phe Ala  
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta cttcctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagacct 120

ctggagaagc cctgcccc cagcatgggt ttctgccgca gcgccctgca cccgctgtct 180

ctcctggtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccacggcctg gtgaactgca actggctgtt cctgaagtct 300

gtgccccact tctccatggc agcacccccgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgcccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccgggtggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgctgccc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctcgccggcc tgcattgccct gcgcttcta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgcccccc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaaactgg cgcctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgctgcga ccacgctccc aaccctgca tggagtggcc tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagtg	1080
ctggacctga gtgagaactt cctctacaaa tgcactacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggg gtcctttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggctgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgctcact cgatgagacc acgctccggc cactggcccc cctgcccattg	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg ccagctcgg catcttcagg	1380
gccttccttg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgctccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gccagctct cgcacctgca gtgcctgcgc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggc ctgcagggtc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggccc acaacttcag cttcgtggct	1860
cacctgcgca ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcggggc ctggacttca gcggcaatgc actgggccaat	1980
atgtggggcc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100  
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160  
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220  
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280  
 atcagcttcg tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340  
 agcgccaacg ccctcaagac agtggaccac tcttggtttg ggccctggc gaggccctg 2400  
 caaatactag atgtaagcgc caacctctg cactgcccct gtggggcggc ctttatggac 2460  
 ttctgctgg aggtgcaggc tgccgtgccc ggtctgcca gccgggtgaa gtgtggcagt 2520  
 ccggggcagc tccagggcct cagcatcttt gcacaggacc tgcgcctctg cctggatgag 2580  
 gccctctcct gggactgttt cgccctctcg ctgctggctg tggctctggg cctgggtgtg 2640  
 cccatgctgc atcacctctg tggctgggac ctctgggtact gcttccacct gtgcctggcc 2700  
 tggcttccct ggcgggggcg gcaaagtggg cgagatgagg atgccctgcc ctacgatgcc 2760  
 ttcgtggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820  
 gggcagctgg aggagtgcg tgggcgctgg gcactccgcc tgtgcctgga ggaacgcgac 2880  
 tggctgcctg gcaaaacct ctttgagaac ctgtgggcct cggctctatg cagccgcaag 2940  
 acgtgtttg tgcctggcca caaggaccg gtcagtggtc tcttgccgac cagcttctg 3000  
 ctggcccagc agcgcctgct ggaggaccgc aaggacgtcg tggctgctgg gatcctgagc 3060  
 cctgacggcc gcgctcccg ctacgtgagg ctgcgccagc gcctctgcg ccagagtgtc 3120  
 ctctctggc cccaccagcc cagtggtcag cgcagcttct gggcccagct gggcatggcc 3180  
 ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc cacggccgaa 3240  
 tagccgtgag ccggaatcct gcaagggtgcc acctccacac tcacctcacc tctgcctgcc 3300  
 tggctgacc ctcccctgct cgctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gcgcagcgc cctgcaccgc ctgtctctcc tggcgcaggc catcatgtg 60  
 gccatgacct tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120  
 ggctgggtga actgcaactg gctgttctct aagtctgtgc cccacttctc catggcagca 180  
 cccgtggca atgtcaccag ctttctctg tctccaacc gcatccacca cctccatgat 240

tctgactttg	cccacctgcc	cagcctgcgg	catctcaacc	tcaagtggaa	ctgcccgcg	300
gttggcctca	gccccatgca	cttcccctgc	cacatgacca	tcgagcccag	caccttcttg	360
gctgtgcca	ccctggaaga	gctaaacctg	agctacaaca	acatcatgac	tgtgcctgcg	420
ctgcccaa	ccctcatatc	cctgtccctc	agccatacca	acatcctgat	gctagactct	480
gccagcctcg	ccggcctgca	tgccctgcgc	ttcctattca	tggacggcaa	ctgttattac	540
aagaaccct	gcaggcaggc	actggagggtg	gccccgggtg	ccctccttgg	cctgggcaac	600
ctcaccacc	tgtcactcaa	gtacaacaac	ctcactgtgg	tgccccgcaa	cctgccttcc	660
agcctggagt	atctgctgtt	gtcctacaac	cgcatcgtea	aactggcgcc	tgaggacctg	720
gccaatctga	ccgccctgcg	tgtgctcgat	gtgggcggaa	attgccgcg	ctgcgaccac	780
gctcccaacc	cctgcatgga	gtgccctcgt	cacttcccc	agctacatcc	cgataccttc	840
agccacctga	gccgtcttga	aggcctgggtg	ttgaaggaca	gttctctctc	ctggctgaat	900
gccagttggt	tccgtgggct	gggaaacctc	cgagtgcctg	acctgagtga	gaacttcctc	960
tacaaatgca	tcactaaaac	caaggccttc	cagggcctaa	cacagctgcg	caagcttaac	1020
ctgtccttca	attacaaaa	gagggtgtcc	tttgcacc	tgtctctggc	cccttccttc	1080
gggagcctgg	tcgccctgaa	ggagctggac	atgcacggca	tcttcttccg	ctcactcgat	1140
gagaccacgc	tccggccact	ggccccgctg	ccatgctcc	agactctgcg	tctgcagatg	1200
aacttcatca	accaggccca	gctcggcatc	ttcagggcct	tccctggcct	gcgctacgtg	1260
gacctgtcgg	acaaccgcat	cagcggagct	tcggagctga	cagccaccat	gggggaggca	1320
gatggagggg	agaaggctctg	gctgcagcct	ggggaccttg	ctccggcccc	agtggacact	1380
cccagctctg	aagacttcag	gccccactgc	agcaccctca	acttcacctt	ggatctgtca	1440
cggaacaacc	tggtgaccgt	gcagccggag	atgtttgccc	agctctcgca	cctgcagtgc	1500
ctgcgcctga	gccacaactg	catctcgcag	gcagtcaatg	gtcccagtt	cctgccgctg	1560
accggtctgc	aggtgctaga	cctgtcccgc	aataagctgg	acctctacca	cgagcactca	1620
ttcacggagc	taccgcgact	ggaggccctg	gacctcagct	acaacagcca	gccctttggc	1680
atgcagggcg	tgggccacaa	cttcagcttc	gtggctcacc	tgcgaccct	gcgccacctc	1740
agcctggccc	acaacaacat	ccacagccaa	gtgtcccagc	agctctgcag	tacgtcgctg	1800
cgggccctgg	acttcagcgg	caatgcactg	ggccatatgt	gggccgaggg	agacctctat	1860
ctgcacttct	tccaaggcct	gagcggtttg	atctggctgg	acttgtccca	gaaccgcctg	1920
cacaccctcc	tgccccaaac	cctgcgcaac	ctccccaaga	gcctacaggt	gctgcgtctc	1980
cgtgacaatt	acctggcctt	ctttaagtgg	tggagcctcc	acttcctgcc	caaactggaa	2040



gtcctcgacc tggcaggaaa ccggctgaag gccctgacca atggcagcct gcctgctggc 2100  
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160  
 tttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220  
 gaccactcct ggtttgggcc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280  
 cctctgcact gcgcctgtgg ggcggccttt atggacttcc tgctggaggt gcaggctgcc 2340  
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400  
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcacia a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40  
tccataacgt ttttgatggt 20

<210> 41  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 41  
tccatcacgt ttttgatggt 20

<210> 42  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 42  
tccattacgt ttttgatggt 20

<210> 43  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 43  
tccatggcgt ttttgatggt 20

<210> 44  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 44  
tccatgccgt ttttgatggt 20

<210> 45  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 50  
tccatgacct ttttgatggt 20

<210> 51  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 51  
tccatgactt ttttgatggt 20

<210> 52  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 52  
tccatgacgc ttttgatggt 20

<210> 53  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 53  
tccatgacga ttttgatggt 20

<210> 54  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 54  
tccatgacgg ttttgatggt 20

<210> 55  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 55  
tccatgacgt ctttgatggt 20

<210> 56  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 56  
tccatgacgt atttgatggt 20

<210> 57  
<211> 20  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 57  
tccatgacgt gtttgatggt 20

<210> 58  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 58  
tcgtcgtttt gtcgttttgt cggt 24

<210> 59  
<211> 24  
<212> DNA  
<213> Artificial sequence

<220>  
<223> Synthetic oligonucleotide

<400> 59  
tgctgctttt gtgcttttgt gctt 24

<210> 60  
<211> 20  
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tcctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tcctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC\_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly	Asn	Cys	Xaa	Xaa	Cys	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Cys	Xaa	Xaa	Cys
1				5					10					15	

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys  
 1 5 10 15

<210> 64  
 <211> 16  
 <212> PRT  
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys  
 1 5 10 15

<210> 65  
 <211> 31  
 <212> PRT  
 <213> Artificial sequence

<220>  
 <223> Consensus oligopeptide

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 66  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1                                  5                                  10                                  15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Tyr  
                   20                                  25                                  30

<210> 67  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<220>  
 <221> MISC\_FEATURE  
 <222> (2)..(8)  
 <223> Any amino acid



<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (12)..(12)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (14)..(22)  
 <223> Any amino acid

<220>  
 <221> MISC\_FEATURE  
 <222> (25)..(30)  
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa  
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Tyr  
 20 25 30

<210> 68  
 <211> 31  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His  
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr  
 20 25 30

<210> 69  
 <211> 31  
 <212> PRT  
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

```
<400> 70
tccaggactt ctctcaggtt                20
```